

JOINT FLEET MAINTENANCE MANUAL**FOREWORD****LIST OF EFFECTIVE PAGES**

Page Numbers	Change in Effect	Page Numbers	Change in Effect
i thru x	REV B		
FWD-1 thru FWD-8	REV B		
FWD-A-1 thru FWD-A-16	REV B		
FWD-B-1 thru FWD-B-36	REV B		

(This Page Intentionally Left Blank)

JOINT FLEET MAINTENANCE MANUAL

FOREWORD

RECORD OF CHANGES


CHANGE NO.	DATE	TITLE OR BRIEF DESCRIPTION	ENTERED BY (INITIALS)

(This Page Intentionally Left Blank)

URGENT JOINT FLEET MAINTENANCE MANUAL CHANGE PROCESS

Purpose: To promulgate the process to be followed in the event that a requirement of the JFMM must be modified, cancelled or implemented prior to the next regularly scheduled change.

Process: The following process will be used to promulgate urgent changes to the JFMM



(This Page Intentionally Left Blank)

JOINT FLEET MAINTENANCE MANUAL CHANGE REQUEST FORM	
FROM: ACTIVITY/SHIP _____ E-MAIL ADDRESS _____	
CODE/DEPT/SHOP _____ DATE _____	
ORIGINATOR _____ TEL EXT () _____	
VOL-PART-PARA NO. _____ FIGURE _____ TABLE _____	
PROCESSING NORMAL _____ URGENT* _____ * (Justify in rationale below if urgent priority is marked)	
PROBLEM DESCRIPTION: 	
RECOMMENDED CHANGE: 	
RATIONALE: 	

(Fold on dotted line on reverse side, staple or tape, and mail to Submarine Maintenance Engineering, Planning and Procurement (SUBMEPP) Activity, send facsimile to (207) 438-6250, or E-mail to PTNH.SUBMEPP.JFMMMGR@Navy.

FOLD

Commanding Officer

OFFICIAL BUSINESS

Commanding Officer
Submarine Maintenance Engineering,
Planning and Procurement (SUBMEPP) Activity
Attn: Code 1832
P.O. Box 2500
Portsmouth Naval Shipyard
Portsmouth, NH 03804-2500

FOLD

JOINT FLEET MAINTENANCE MANUAL

FOREWORD

TABLE OF CONTENTS

	Page No.
FOREWORD	
LIST OF EFFECTIVE PAGES	i
RECORD OF CHANGES	iii
URGENT JOINT FLEET MAINTENANCE MANUAL CHANGE PROCESS.....	v
JOINT FLEET MAINTENANCE MANUAL CHANGE REQUEST FORM.....	vii
1 Manual Development.....	FWD-1
2 Volume Topics.....	FWD-1
3 Purpose	FWD-1
4 Cancellation	FWD-1
5 Discussion.....	FWD-2
5.1 Platform Considerations	FWD-2
5.2 Maintenance Considerations.....	FWD-2
5.3 Terminology Considerations	FWD-2
5.4 Administrative Considerations	FWD-2
5.4.1 Master List of References.....	FWD-2
5.4.2 Table of Responsibilities	FWD-2
5.4.3 Acronyms	FWD-2
5.4.4 Appendices	FWD-2
5.4.5 Volume Structure	FWD-3
6 Changes to the Manual	FWD-3
7 Life Cycle Maintenance Process for the Joint Fleet Maintenance Manual	FWD-3
7.1 Purpose	FWD-3
7.2 Background.....	FWD-3
7.3 Responsibilities and Requirements.....	FWD-3
7.3.1 Fleet Commanders	FWD-3
7.3.2 Type Commander.....	FWD-4
7.3.3 Joint Fleet Maintenance Manual Board of Directors	FWD-4
7.3.4 Submarine Maintenance Engineering, Planning and Procurement	FWD-5
7.3.5 Systems Command.....	FWD-5
7.3.6 User Activities.....	FWD-5
7.4 Change Process.....	FWD-6
Appendices	
A Master List of References.....	FWD-A-1
B Responsibilities.....	FWD-B-1

(This Page Intentionally Left Blank)

JOINT FLEET MAINTENANCE MANUAL

FOREWORD

LISTING OF APPENDICES.

- A** Master List of References
- B** Responsibilities

1 MANUAL DEVELOPMENT. The development of the Joint Fleet Maintenance Manual has been a dedicated effort by all Naval Type Commanders to establish a single, unified source of maintenance requirements across all platforms.

2 VOLUME TOPICS. The Joint Fleet Maintenance Manual is made up of seven distinct volumes.

Volume I	-	New Construction
Volume II	-	Integrated Fleet Maintenance
Volume III	-	Deployed Maintenance
Volume IV	-	Tests and Inspections
Volume V	-	Quality Maintenance
Volume VI	-	Maintenance Programs
Volume VII	-	Contracted Ship Maintenance

3 PURPOSE. This manual serves as:

- a. A standardized, basic set of minimum requirements to be used by all Type Commanders and subordinate commands.
- b. Clear, concise technical instructions to ensure maintenance is planned, executed, completed and documented within all Fleet commands.
- c. A vehicle for implementing Regional Maintenance policies across all platforms.
- d. A comprehensive set of process descriptions for use by schools such as Surface Warfare Officer School (SWOS), Senior Officer Ship Maintenance and Repair Course (SOSMRC), Engineering Duty (ED), Technical Training, etc.

4 CANCELLATION. The Joint Fleet Maintenance Manual supersedes all existing Type Commander Maintenance and Quality Assurance manuals and all associated correspondence and clarifications thereto, except COMSUBLANTINST 4355.4 (Weapons Systems Quality Assurance Manual). The following is a list of manuals that are cancelled as a result of this manual:

- a. COMNAVAIRLANTINST 4700.1/COMNAVAIRPACINST 4700.1 (Naval Air Force Ship Material Manual)
- b. COMNAVSURFLANTINST 9000.1 (Naval Surface Force, U.S. Atlantic Fleet, Maintenance Manual)
- c. COMNAVSURFPACINST 4700.1 (Naval Surface Force, U.S. Pacific Fleet, Maintenance Manual)
- d. COMSUBLANT/COMSUBPACINST 4790.4 (Submarine Force Maintenance Manual)
- e. COMNAVAIRLANTINST 9090.1/COMNAVAIRPACINST 9090.1 (Naval Air Force Quality Assurance Manual)
- f. COMSUBLANT/COMSUBPACINST 4855.2 (Submarine Force Quality Assurance Manual)
- g. COMNAVSURFLANT/COMNAVAIRLANTINST 4855.3/COMNAVSURFPAC/COMNAVAIRPACINST 4855.3 (Nuclear Surface Forces Afloat Quality Assurance Instruction)
- h. COMNAVSURFPACINST 4855.1 (Naval Surface Force, U.S. Pacific Fleet, Quality Assurance Manual)

- i. COMNAVSURFLANTINST 9090.1/COMNAVSURFPACINST 4855.22 (Naval Surface Force Quality Assurance Manual)
- j. COMNAVSURFLANTINST 9090.2 (IMA Quality Assurance Manual)
- k. CINCLANTFLT/CINCPACFLTINST 4355.1 (Quality Assurance Program)
- l. COMSUBPACINST 4855.3 (Deep Submergence Systems Quality Assurance Manual)

5 DISCUSSION.

5.1 Platform Considerations. Throughout this manual, certain requirements apply only to specific platforms. To point these out, the terms (Submarines only), (Aircraft Carriers only), (Surface Ships only), and specific hull designators (e.g., DDG, SSN) are used in parentheses within the paragraph to which they apply. The term "Surface Ship" applies to all ships and craft except submarines and deep submersibles. When no specific platform is mentioned, the requirements apply to all platforms. In this context, the term "Submarine Force" applies to all ships under the responsibility of Submarine Forces, Atlantic and Pacific Fleets; the term "Aircraft Carriers" applies to all ships under the responsibility of Naval Air Forces, Atlantic and Pacific Fleets; and the term "Surface Force" applies to all ships under the responsibility of Naval Surface Forces, Atlantic and Pacific Fleets.

5.2 Maintenance Considerations. In the development of this manual, considerable effort was put forth to standardize work practices, incorporate accepted Regional Maintenance philosophies, and make allowances for future changes resulting from new Regional Maintenance policies. With respect to this, the term Intermediate Maintenance Activity (IMA) has been replaced by Fleet Maintenance Activity (FMA) to reflect the fact that under Regional Maintenance the responsibility for, and the management of, repair facilities has moved to the Fleet.

5.3 Terminology Considerations. Use of the term "Type Commander/Immediate Superior in Command (TYCOM/ISIC)" throughout this manual is defined as follows:

- a. For Submarine and Surface Forces, the "TYCOM/ISIC" refers to the Squadron or Group.
- b. For Aircraft Carriers, the "TYCOM/ISIC" refers to the Type Commander for maintenance issues.
- c. For Submarine and Surface Forces, the term "ISIC", used by itself, refers to the Squadron or Group. The term "ISIC" does not apply to Aircraft Carriers for maintenance issues, but refers to the Permanent Battle Group Commander for operational issues and non-maintenance certifications.

5.4 Administrative Considerations.

5.4.1 Master List of References. Appendix **A** of this foreword is a Master List of References used throughout the manual. This Master List should be reviewed to ensure that the necessary technical manuals, instructions, etc. are readily available prior to using the manual.

5.4.2 Table of Responsibilities. Appendix **B** provides a table of responsibilities associated with specific positions/functions located within the manual. Each position listed identifies the major responsibilities for that position and provides a link to the Chapter/paragraph where the responsibility is detailed.

5.4.3 Acronyms. Acronyms used in a particular volume are contained in the List of Acronyms at the front of each volume. Acronyms appearing four or more times in a chapter or those considered "common acronyms" (i.e., words that are known better by their acronym than by their spelled out word, for example, CD-ROM) will be spelled out the first time an acronym is used within a chapter, and the acronym listed in parentheses after the word. Terms not meeting these conditions will not be considered as acronyms within the text and the words will be spelled out.

5.4.4 Appendices. Numerous chapters throughout this manual contain Appendices for the purpose of providing further detail or examples of required reports/correspondence. In all cases the Appendices are intended as examples only and may not reflect the most current guidance or format. Higher authority source documents should be consulted. Sample correspondence provided as Naval messages may be communicated in letter format to facilitate timely transmission by electronic facsimile.

5.4.5 Volume Structure. Volumes II and V of this manual have been divided into specific parts. Volume II is made up of two parts. Part I contains requirements to implement and execute the management of an integrated maintenance process for all Navy ships, except those under the control of Commander, Naval Surface Force, throughout their life cycle. Part II is SHIPMAIN specific and defines a common planning process for ship maintenance and alterations for Commander, Naval Surface Force controlled ships. Volume V is made up of three parts. Part I contains requirements and procedures necessary to establish and maintain a Quality Maintenance Program. Part II contains information which has been extracted from Part I and is considered Naval Nuclear Propulsion Information. The distribution of Part II has been limited. Part III contains requirements which apply to Scope of Certification for all ships and Deep Submergence Systems in the fleet.

6 CHANGES TO THE MANUAL. A formal change process has been established for all six volumes of the manual and is described in Figure 1. Users of this manual are encouraged to submit change requests. All change requests must be submitted using the Change Request Form contained in each volume. If changes are submitted in electronic format, facsimile or E-mail, each change request shall contain the information required on the Change Request Form. Your participation in this change process is both important and appreciated.

7 LIFE CYCLE MAINTENANCE PROCESS FOR THE JOINT FLEET MAINTENANCE MANUAL.

7.1 Purpose. To establish a management plan for life cycle maintenance of the Joint Fleet Maintenance Manual (JFMM). This plan describes the change process requirements and identifies the related responsibilities and requirements for maintaining all volumes of the JFMM.

7.2 Background. This manual was developed with the objective of providing a standard set of clear and concise maintenance requirements for the Fleet. The establishment of a formal life cycle maintenance process is necessary to ensure successful accomplishment of this objective. Utilizing a formal process will ensure effective coordination and management of the JFMM and will ensure:

- a. Standardized format for all change request responses.
- b. Timely evaluation and incorporation of change request.
- c. Automated tracking system for all review comments.
- d. Consistent distribution of all changes to the manual.
- e. A historical database containing all background information that led to changes and revisions to the JFMM.

7.3 Responsibilities and Requirements. This section defines the responsibilities and requirements of all activities involved in supporting the life cycle maintenance process of the JFMM.

7.3.1 Fleet Commanders. The Fleet Commanders are responsible for the following:

- a. Designating a single Commander, Atlantic Fleet (COMLANTFLT) and Commander, Pacific Fleet (COMPACFLT) point of contact to act as JFMM coordinators.
- b. Establishing a Joint Fleet Maintenance Manual Board of Directors (JFMMBOD). The JFMMBOD will be co-chaired by the Fleet coordinators and made up of TYCOM Quality Assurance and Maintenance representatives and the SUBMEPP JFMM Program Manager.
- c. Providing final approval and promulgation letter for all JFMM changes and revisions issued to the Fleet.
- d. Providing funding for the life cycle maintenance of the JFMM.

- e. Approving all Advanced Change Notices (ACN), either by message or letter, for urgent changes to the JFMM. Develop and distribute all message ACNs. Forward all ACNs approved via letter to Submarine Maintenance Engineering, Planning and Procurement (SUBMEPP) for distribution.
- f. Convening periodic JFMMBOD review meetings. The purpose of these meetings is to review all proposed changes that may be incorporated into the manual in preparation of issuing an official change or revision to the manual. Attendance is generally limited to the Fleet Commanders and TYCOMs (Quality Assurance Officer and maintenance representatives as required). The Fleet or TYCOM representatives may invite Subject Matter Experts (SME) to assist in answering proposed changes. The following rules apply for SMEs:
 - (1) All SMEs must have an advocate. The advocate will be one of the voting members from the TYCOMs, Fleet Forces Command (FFC) or COMPACFLT. The TYCOM advocate is responsible to get FFC concurrence for the SME to attend the JFMM Board of Directors Meeting. FFC and COMPACFLT will determine if other voting members shall be polled and notify SUBMEPP of the result. The advocate is responsible to ensure the SME complies with the established norms of the meeting.
 - (2) Access to the JFMM Electronic Change Website is generally limited to the Fleet Commanders and the TYCOMs. **When necessary, an SME will normally be sent a proposed change for comment concurrent with TYCOM review, by email, outside of the electronic change website.** At the request of a TYCOM, an SME with a "credible need to know" as determined by FFC and COMPACFLT may be granted limited access. Access is associated with individuals, not organizations or positions within organizations. Normally access will not be granted to individuals at commands subordinate to TYCOMs.

7.3.2 Type Commander. The Type Commander (TYCOM) will:

- a. Review and evaluate all JFMM change requests within 21 calendar days of receipt of the change, in order to provide users with timely responses.
- b. For changes which affect ship and personnel safety, notify Fleet Commanders and request a message ACN be distributed.
- c. For all other changes requiring ACNs, TYCOMs will review the ACN and forward to Fleet Commanders for approval.
- d. Review and endorse all change packages in preparation of issuing an official change/revision to the manual. Notify the Fleet Commanders of this endorsement via letter.
- e. Designate representatives to be members of the JFMMBOD.
- f. Identify changes to the JFMM distribution list.

7.3.3 Joint Fleet Maintenance Manual Board of Directors. The JFMMBOD will:

- a. Adjudicate all JFMM change requests not unanimously resolved by TYCOMs.
- b. Continue collaboration to standardize maintenance requirements across platforms.
- c. Determine the frequency of official changes/revisions to the JFMM. The frequency of these changes/revisions may be dictated by the number of JFMM change requests submitted and approved.

7.3.4 Submarine Maintenance Engineering, Planning and Procurement. SUBMEPP will:

- a. Issue a letter of acknowledgment to the submitting activity within seven calendar days of receiving the change request and a response letter within seven calendar days of receiving all TYCOMs response.
- b. Perform a preliminary review of all JFMM change requests including an assessment of the impact on other volumes and provide background information and additional recommendations, when necessary, to applicable TYCOMs within seven calendar days of receiving change request.
- c. Manage an automated tracking system for all JFMM change requests and provide a periodic status report of changes to the TYCOMs and Fleet Commanders.
- d. Incorporate approved changes into the JFMM and forward all change packages, via the TYCOM, to the JFMMBOD for review in preparation of issuing an official change/revision to the manual.
- e. Develop all ACNs not requiring a message and forward to TYCOM for review. Distribute all ACNs approved by Fleet Commanders via letter.
- f. Forward any unresolved change requests to the JFMMBOD for adjudication.
- g. Maintain the JFMM distribution list.
- h. Support the TYCOM in the performance of customer surveys and audits, as requested.
- i. Adjudicate all editorial change requests on behalf of the JFMMBOD.
- j. Identify yearly budget requirements for life cycle maintenance of the JFMM to the Fleet Commanders.
- k. Attend all JFMMBOD Review Meetings.
- l. Coordinate the development and transition of the JFMM into CD-ROM format.

7.3.5 Systems Command. The Systems Command (SYSCOM) will:

- a. Provide technical assistance for change requests when requested.
- b. Review JFMM revisions when requested.

7.3.6 User Activities. User Activities will:

- a. Submit change requests to SUBMEPP, using the required change request form contained in the manual.
- b. Provide the following information on the change request form.
 - (1) A clear description of the problem including Volume number, applicable paragraph(s) and page(s).
 - (2) The recommended change containing the specific words to be added, deleted or modified.
 - (3) Rationale for the recommended change.

7.4 Change Process. This section defines the change process for the JFMM. The change process is an integral part of JFMM life cycle maintenance. The process is described in detail below and relates to the flow chart shown in Figure 1.

- a. All User Activities (e.g., FMAs, Squadrons, Ships Force...etc.), will submit JFMM change requests using the change request form located in the front of each volume of the manual.
- b. Upon receipt of this change request, SUBMEPP will send a letter to the submitting activity notifying them that the change request has been received. SUBMEPP will log the change request into a database and conduct a preliminary review, assess the impact of the change on other volumes of the JFMM, gather all appropriate background information and provide additional recommendations when necessary. SUBMEPP will adjudicate all editorial change requests. For non-editorial change requests, SUBMEPP will determine the applicable TYCOM(s), and forward the requests to them for their review and approval. All change requests sent to TYCOMs after SUBMEPP review will include the following:
 - (1) Change Request Response Form.
 - (2) Appropriate reference material (e.g., previous change requests, applicable instructions...etc.).
 - (3) Applicable marked up pages showing the requested change incorporated.
 - (4) SUBMEPP's preliminary evaluation and recommendation, when applicable.
- c. TYCOMs will review the change request and provide a resolution to SUBMEPP via letter or fax using the Change Response Form. SYSCOMs will provide technical assistance when requested. If the TYCOM should approve a change request and desire the use of an ACN, they will indicate this on the Change Response Form and provide any additional information for the ACN. For changes which affect ship and personnel safety, TYCOMs will notify Fleet Commanders when a message ACN is required. Fleet Commanders will develop and distribute all message ACNs. For all other ACNs, SUBMEPP will develop the ACN and submit the ACN to the TYCOMs for review. TYCOMs will forward the ACN to the Fleet Commanders for approval. Upon approval, SUBMEPP will distribute the ACN.
- d. SUBMEPP will forward all unresolved change requests to the JFMMBOD. An unresolved change request is a change request that does not receive unanimous approval or disapproval from all applicable TYCOMs.
- e. The JFMMBOD will adjudicate all unresolved change requests and will forward the resolution to SUBMEPP.
- f. SUBMEPP will provide a formal response to the submitting activity based upon the TYCOM(s) or JFMMBOD final resolution.
- g. SUBMEPP will incorporate the approved change into a JFMM change package. This change package will contain both approved changes and ACNs incorporated into the applicable pages of the manual and will be sent to the JFMMBOD, via the TYCOMs, for review in preparation of an official change/revision to the manual.
- h. The JFMMBOD will endorse this change package and forward it to the Fleet Commanders requesting approval and promulgation.
- i. Fleet Commanders will provide final approval and promulgation letter for all JFMM changes and revisions. Fleet Commanders will forward promulgation letter to SUBMEPP.
- j. SUBMEPP will provide distribution of the approved JFMM change or revision according to the approved distribution list.

JOINT FLEET MAINTENANCE MANUAL CHANGE PROCESS

COMFLTFORCOMINST 4790.3 REV B




Figure 1.

FWD-7

(This Page Intentionally Left Blank)

APPENDIX A**MASTER LIST OF REFERENCES**

2M Marine Corps TM 5895-45/1B - Standard Maintenance Practices 2M Electronic Assembly Repair

5 CFR 2635 - Standards of Ethical Conduct for Employees of the Executive Branch

10 USC 1724 - Defense Acquisition Workforce Improvement Act (DAWIA)

10 USC 2306 - Kinds of Contracts

10 USC 7311 - Repair or Maintenance of Naval Vessels: Handling of Hazardous Waste

29 CFR 1910 - Occupational Safety and Health Standards

31 USC 1301(a) - Application

31 USC 1341 - Limitations on Expending and Obligor Amounts

31 USC 1342 - Limitation on Voluntary Services

31 USC 1349 - Adverse Personnel Actions

31 USC 1517 - Prohibited Obligations and Expenditures

31 USC 1518 - Adverse Personnel Actions

31 USC 1535 - Agency Agreements

41 USC 23 - Orders or Contracts for Material Placed with Government-owned Establishments Deemed Obligations

41 USC 254 - Contract Requirements

CLF/CPFINST 4720.3 - Management of Afloat Combat Systems and C4I Installations and Improvements

CNAFINST 3500.71A - Flight Deck Certification

CNAP/CNALINST 9210.4 - Nuclear Propulsion Note 9200-2

COMFLTFORCOM 181810Z Mar 03 - Establishment of Regional Maintenance Centers

COMFLTFORCOM R291336Z Dec 03 - Fleet Technical Assistance Policy

COMLANTFLTINST 3500.18 - Certification and Readiness of Aviation Facilities in Naval Ships Operating Aircraft

COMLANTFLTINST 4100.3 - Navy Energy Usage Reporting System (NEURS)

COMLANTFLTINST 4700.1 - Navy Afloat Maintenance Training Strategy (NAMTS) Job Qualification Requirements (JQR) Management

COMLANTFLTINST 4700.10 - Policies and Procedures for Fleet Technical Support

COMLANTFLTINST 5400.2 - U.S. Atlantic Fleet Regulations

COMLANTFLT OPORD 2000

COMLANTFLT/COMPACFLTINST 4720.3A - Management of Afloat Combat Systems and C4I Installations and Improvements

COMLANTFLT/COMPACFLTINST 5450.89B/5450.120B - Mission, Functions and Tasks of the Fleet Technical Support Centers, Atlantic (FTSCLANT) and Pacific (FTSCPAC)

COMNAVAIRFORINST 4700.23 - Aircraft Carrier Maintenance Support Centers (MSC) Policy and Procedures

COMNAVAIRFORINST 9640.1 - Control of Habitability Improvements in Aircraft Carriers

COMNAVAIRLANTINST 3400.4 - Air Department Standard Operating Procedures
COMNAVAIRLANTINST 3500.20 - Aircraft Carrier Training and Readiness Manual
COMNAVAIRLANTINST 4790.34 - Electrostatic Discharge (ESD) Control Program
COMNAVAIRLANTINST 4790.40 - Aircraft Launch and Recovery Equipment Maintenance Program (ALREMP)
Management Teams
COMNAVAIRLANTINST 4790.42 - CV/CVN Intermediate Maintenance Activity (IMA) Module Test and Repair
Facility (MTRF)

COMNAVAIRLANTINST 9080.2 - Conduct of Trials and Inspections Incident to Construction, Overhauls or
Availabilities of Nuclear Powered Aircraft Carriers (CVN)
COMNAVAIRLANTINST 9090.2 - Conduct of Shipyard Trials and Inspections Incident to Service Life Extension
Program (SLEP), Overhauls or Availabilities of Conventionally Powered Aircraft Carriers

COMNAVAIRLANTINST 13640.2 - Naval Aircraft Carrier Metrology and Calibration Program
COMNAVAIRLANTINST 13640.3 - Naval Aviation Metrology and Calibration Program
COMNAVAIRLANTINST 13650.1 - Individual Material Readiness List (IMRL) Program

COMNAVAIRPACINST 3400.4 - Air Department Standard Operating Procedures
COMNAVAIRPACINST 3500.20 - Aircraft Carrier Training and Readiness Manual
COMNAVAIRPACINST 4790.39 - Aircraft Launch and Recovery Equipment Maintenance Program (ALREMP)
Management Teams
COMNAVAIRPACINST 4790.54 - CV/CVN Intermediate Maintenance Activity (IMA) Module Test and Repair
Facility (MTRF)

COMNAVAIRPACINST 13640.2 - Naval Aircraft Carrier Metrology and Calibration Program
COMNAVAIRPACINST 13640.3 - Naval Aviation Metrology and Calibration Program

COMNAVSEASYS COM WASHINGTON DC 031440Z MAR 03 - Submarine Industrial EMC and EMI Control
Interim Guidance

COMNAVSURFORINST 5400.39 - Standard Submarine Organization and Regulations Manual (SORM)

COMNAVSUBFOR OPORD 2000

COMNAVSURFLANTINST 3502.2 - Surface Force Training Manual
COMNAVSURFLANTINST 3540.18 - Engineering Department Organization and Regulation Manual (EDORM)
COMNAVSURFLANTINST 4400.1 - Surface Force Supply Procedures
COMNAVSURFLANTINST 4700.4 - Fleet Introduction Handbook

COMNAVSURFORINST 3540.1 - Engineering Operations Assessment, Training and Certification for
Conventionally Powered Surface Ships
COMNAVSURFORINST 3540.2 - Surface Force Engineering Readiness Process

COMNAVSURFOR NOTICE 4701 - Surface Ship Maintenance Validation, Screening and Brokering
COMNAVSURFOR NOTICE 4702 - Surface Ship Work Package Preparation
COMNAVSURFOR NOTICE 4703 - Surface Ship Maintenance Placement Oversight Business Rules

COMNAVSURFPACINST 3501.4 - Aviation Readiness Evaluation (ARE) and Certification of Aviation Facilities
Onboard COMNAVSURFPAC Ships
COMNAVSURFPACINST 3502.2 - Surface Force Training Manual
COMNAVSURFPACINST 3540.13 - Engineering Department Organization and Regulation Manual (EDORM)
COMNAVSURFPACINST 4400.1 - Surface Force Supply Procedures

COMPACFLTINST 4100.3 - Navy Energy Usage Reporting System (NEURS)

COMPACFLTINST 4341.1 - Fleet Technical Assistance (FTA) Program
COMPACFLTINST 4700.5 - Navy Afloat Maintenance Training Strategy (NAMTS) Job Qualification Requirements (JQR) Management
COMPACFLTINST 4710.6 - Policy for Accomplishment of Ship Repair Work in WESTPAC
COMPACFLTINST 5400.3 - U.S. Pacific Fleet Regulations
COMPACFLTINST 9830.1 - Certification of Aviation Facilities in Naval Ships Operating Aircraft

COMPACFLTINST 4700.5/COMLANTFLTINST 4700.1 - Navy Afloat Maintenance Training Strategy (NAMTS) Job Qualification Requirements (JQR) Management

COMPACFLT OPORD 201

COMSEVENTHFLT OPORD 201

COMSUBFORINST C5400.30 - Engineering Department Organization Manual
COMSUBFORINST C9460.3A - Coordinated Submarine Radiated Noise Analysis
COMSUBFORINST C9460.4 - Submarine Towed Array Operations

COMSUBLANTNOTE C3120 - Submarine Operating Restrictions and Depths Authorizations

COMSUBLANTINST C3500.1 - Submarine Force Training Manual
COMSUBLANTINST 3540.10 - Periodic Monitoring of Submarines and Support Facilities
COMSUBLANTINST 4406.1 - Submarine Supply Procedures Manual
COMSUBLANTINST 4419.1 - Module Screening and Repair Activity (MSRA) Repairables Management Procedure
COMSUBLANTINST 5400.4 - Submarine Force, U.S. Atlantic Fleet Regulations

COMSUBPACINST C3500.1 - Submarine Force Training Manual
COMSUBPACINST 3540.10 - Periodic Monitoring of Submarines and Support Facilities
COMSUBPACINST 4406.1 - Submarine Supply Procedures Manual
COMSUBPACINST 4419.1 - Submarine Tender Supply Management Procedures for AN/BSY-1 Repairables
COMSUBPACINST 5400.7 - Submarine Force, U.S. Pacific Fleet Regulations
COMSUBPACINST C5400.30 - Engineering Department Organization Manual
COMSUBPACINST 9460.4 - Submarine Towed Array Operations
COMSUBPACINST 9460.5 - Coordinated Submarine Radiated Noise Analysis

COMSUBPACNOTE C3120 - Submarine Operating Restrictions and Depth Authorizations
COMSUBPACNOTE 9086 - COMSUBPAC Engineering Notes and Technical Notes

DCAAM 7640.1, July 2004 Edition - DCAA Contract Audit Manual (CAM) Chapter 9-1004.2

DD Form 1638 - Report of Disposition of Contractor Inventory

DFARS 201.4 - Deviations From the FAR
DFARS 206.302-2 - Unusual and Compelling Urgency
DFARS 211 - Describing Agency Needs
DFARS 217.71 - Master Agreement for Repair and Alteration of Vessels
DFARS 217-7104 - Clauses
DFARS 219 - Small Business Programs
DFARS 222 - Application of Labor Laws to Government Acquisitions
DFARS 222.101 - Labor Relations
DFARS 245.301 - Definitions
DFARS 245.302 - Providing Facilities
DFARS 245.505 - Records and Reports of Government Property
DFARS 245.6 - Reporting, Redistribution and Disposal of Contractor Inventory

DFARS 245.608-70 - Contractor Inventory Redistribution System (CIRS)
DFARS 245.7001 - Selection, Appointment and Termination
DFARS 245.7002 - Duties and Responsibilities of Plant Clearance Officers
DFARS 252 - Solicitation Provisions and Contract Clauses
DFARS 252.217-7012 - Master Ship Repair Agreement (MSRA) and MSMO Liability and Insurance Clause
DFARS 252.217-7015 - Compliance With OSHA Regulations

DFARS Part 217 - Special Contracting Methods
DFARS Part 245 - Government Property

DoD 5520.22 - National Industrial Security Program Operating Manual
DoD 7000.14-R - Volume 14 - Administrative Control of Funds and Anti-Deficiency Act Violations
DoD Automation Resources Manual 7950.1-M
DoD Directive 5000.1 - The Defense Acquisition System
DoD Directive 5500.7 - Standards of Conduct
DoD Directive 7200.1 - Administrative Control of Appropriations
DoD Financial Management Policy Manual
DoD Manual 4161.2M - Manual for Performance of Government Property Administration
DoDINST 5000.2 - Operation of the Defense Acquisition System
DoD-STD-2003 - Military, Standard, Electric Plant Installation Standard Methods for Surface Ships and Submarines

FAR 4.802 - Contract Files
FAR 6.302-2 - Unusual and Compelling Urgency
FAR 9.1 - Responsible Prospective Contractors

FAR 11.104 - Use of Brand Name or Equal Purchase Descriptions
FAR 14.201-1 - Uniform Contract Format
FAR 14.204-1 - Records of Invitations for Bids and Records of Bids

FAR 42.2 - Contract Administration Services
FAR 42.201 - Contract Administration Responsibilities
FAR 42.3 - Contract Administration Office Functions
FAR 42.302 - Contract Administration Functions

FAR 45.102 - Policy
FAR 45.301 - Definitions
FAR 45.302 - Providing Facilities
FAR 45.303 - Providing Material
FAR 45.306 - Providing Special Tooling
FAR 45.307 - Providing Special Test Equipment
FAR 45.310 - Providing Agency Peculiar Property
FAR 45.4 - Contractor Use and Rental of Government Property
FAR 45.5 - Management of Government Property in Possession of the Contractor
FAR 45.6 - Scope of Subpart

FAR 52.232-16 - Progress Payments Clause
FAR 52.245-2 - Government Property (Fixed Price Contracts)
FAR 52.245-4 - Government-Furnished Property (Short Form)

FAR 203

FAR Part 1.3 - Agency Acquisition Regulations
FAR Part 1.4 - Deviations
FAR Part 1.6 - Career Development, Contracting Authority and Responsibilities
FAR Part 2.1 - Definitions
FAR Part 9 - Contractor Qualifications

FAR Part 14 - Sealed Bidding
FAR Part 15 - Contracting by Negotiation
FAR Part 16 - Types of Contracts

FAR Part 31 - Contract Cost Principles and Procedures

FAR Part 42 - Contract Administration and Audit Services
FAR Part 43 - Contract Modifications
FAR Part 44 - Subcontracting Policies and Procedures
FAR Part 45 - Government Property
FAR Part 46 - Quality Assurance
FAR Part 49 - Termination of Contracts

FAR Part 52 - Solicitation Provisions and Contract Clauses

Federal Acquisition Regulation (FAR)

FGC 2212 - Maintenance Support Center Procedures Manual

Fleet Modernization Program (FMP) Management and Operations Manual - Revision 2
Fly-By-Wire Ship Control System Certification Boundary Book (ship specific)

FMP Manual Section 4-11 - Procedures for Ships Selected Records

INSURVINST 4730.1 - Trials and Inspections of Surface Ships
INSURVINST 4730.2 - Trials and Material Inspections of Submarines
INSURVINST 4730.8 - Reports of Trials, Material Inspections and Survey Conducted by INSURV
INSURVINST 4730.11 - Preparation of Deficiency Forms

Integrated Project Teams for Aircraft Carrier Maintenance Handbook

LPD 17 MOGAS System Technical Manual

Maintenance Index Page 4722/007 - Passive Countermeasure System (PCMS)

Maintenance Plan 4100-02-01 - Command and Control System (CCS) Electromagnetic Interference (EMI) Testing

MIL-HDBK-263 - Electrostatic Discharge Control Handbook for Protection of Electrical and Electronic Parts, Assemblies and Equipment
MIL-HDBK-773 - Electrostatic Discharge Protective Packaging

MIL-P-24534 - Planned Maintenance System: Development of Maintenance Requirement Cards, Maintenance Index Pages, and Associated Documentation
MIL-S-24340 - Polyurethane (Polyether Base) Deck Sealing Compound

MIL-STD-413 - Visual Inspection Guide for Elastomeric O-rings
MIL-STD-438 - Schedule of Piping, Valves, Fittings, and Associated Piping Components for Submarine Service
MIL-STD-767 - Cleaning Requirements for Special Purpose Equipment, Including Piping Systems
MIL-STD-777 - Schedule of Piping, Valves, Fittings, and Associated Piping Components for Naval Surface Ships
MIL-STD-792 - Identification Marking Requirements for Special Purpose Components

MIL-STD-1330 - Standard Practice for Precision Cleaning and Testing of Shipboard Oxygen, Helium, Helium-Oxygen, Nitrogen and Hydrogen Systems
MIL-STD-1388 - Logistic Support Analysis

MIL-STD-1627 - Bending of Pipe or Tube for Ship Piping Systems
MIL-STD-1680 - Installation Criteria for Shipboard Secure Electrical Information Processing Systems
MIL-STD 1686 - Electrostatic Discharge Control Program for Protection of Electrical and Electronic Parts, Assemblies and Equipment
MIL-STD-1689 - Fabrication, Welding and Inspection of Ship's Structures

MIL-STD-2039 - Field Changes and Field Change Kit Preparation
MIL-STD-2132 - Nondestructive Examination Requirements for Special Applications
MIL-STD-2179 - Brush Electroplating on Marine Machinery
MIL-V-24624 - Valves, Butterfly, Wafer and Lug Style

MS 6310-081-015 - Submarine Preservation

N6-NTSP-S-70-8003H - Navy Training System Plan (NTSP) for Electromagnetic Interference (EMI) Control

NASM 7838 - Bolts, Internal Wrenching

National Fire Protection Association Codes and Standards 306 - Standards for the Control of Gas Hazards on Vessels

NAVAIR 00-25-100 - Naval Air System Command Technical Manual Program
NAVAIR 01-1A-23 - Electronic Assembly Repair Standard Maintenance Practice
NAVAIR 13-1-6.1 - Aviation Crew Systems, Chapter 7 (LRU 13/A)

NAVAIR 17-1-124 - Microminiature Component Repair Set
NAVAIR 17-1-127 - Periodic Proofload Testing of Weapons Support Equipment W/IPB
NAVAIR 17-35MTL-1 - Metrology Requirements List
NAVAIR 17-35NCA-1 - Navy Calibration Activity (NCA) List
NAVAIR 17-35QAL-15 - Naval Aircraft Carrier (METCAL) Program Manual
NAVAIR 17-600-141-6-1 - Microminiature Repair Status Pre-operational Check List
NAVAIR 17-600-141-6-2 - Microminiature Repair Station

NAVAIR AD-700A1-MDB-000 - Recovery Assistance Traversing (RAST) System
NAVAIR A6-332AO-GYD-000 - Laboratory and Aviators Breathing Oxygen Field Guide

NAVAIRINST 3120.1 - Lead Systems Command Procedures and Responsibilities for Certification of Aviation Facilities and Equipment in Naval Ships Operating Aircraft
NAVAIRINST 13800.11 - Procedures and Responsibilities for Certification and Verification of the Precision Approach and Landing System

NAVCOMPT Form 2168/1 - Expense Operation Budget
NAVCOMPT Form 2275 - Orders for Work and Services
NAVCOMPT Manual - Paragraph 035400-035452
NAVCOMPT Manual - Volume 2
NAVCOMPT Manual - Volume 3, Appropriation, Cost, and Property Accounting (Field)

NAVCOMPTINST 7000.38 - Productivity Enhancing Incentive Fund (PEIF)/The Productivity Enhancement Capital Investment Fast Payback Program

NAVEDTRA 10500 - Catalog of Navy Training Courses
NAVEDTRA 43241 - Personnel Qualification Standard for Ship's Maintenance and Material Management (3-M) System
NAVEDTRA 43523 - Personnel Qualification Standard for Quality Maintenance Program

NAVFAC Manual MO-322 - Inspection Guides, Structural, Mechanical and Electrical

NAVFAC P-307 - Management of Weight Handling Equipment
NAVFAC Technical Publication DM-29 - Drydocking Facilities

NAVICPINST 4355.5 - Receipt, Inspection, Storage and Issue of Level I/SUBSAFE Material

NAVORD OP 4 - Ammunition Afloat

NAVPERS 18068 - Manual of Navy Enlisted Manpower and Personnel Classifications and Occupational Standards

NAVSEA Contracts Handbook (NCH) - Master Agreement for Repair and Alteration of Vessels
NAVSEA Contracts Handbook (NCH), Part 45 - Government Property

NAVSEA ltr - Ser 05T1/009 of 06 April 04, Passive Countermeasure System (PCMS) Waterfront Support
Requirements for Regional Maintenance Centers
NAVSEA ltr - Ser 396A23/0641 of 25 June 93 - Trident Preservation Maintenance
NAVSEA ltr - Ser 92T124/006 of 14 Mar 02 - Preservation QA Requirements for In-Service Submarines

NAVSEA MS 6310-081-015 - Submarine Preservation
NAVSEA MS 7650-081-091 - Submarine Hull Inspection

NAVSEA OD 45845 - Metrology Requirements List (METRL)

NAVSEA OP-4 - Ammunition Afloat
NAVSEA OP 3347 - Ordnance Safety Precautions, U.S. Navy
NAVSEA OP 4098 - Handling Ammunition, Explosives and Hazardous Material with Industrial Materials Handling
Equipment

NAVSEA RIM 05T1-99 - PCMS Repair and Installation Methods

NAVSEA S-30-9412 - Passive Countermeasure System (PCMS) Naval Training System Plan

NAVSEA S9074-AQ-GIB-010/248 - Welding and Brazing Procedures and Performance Qualification
NAVSEA S9074-AR-GIB-010/278 - Requirements for Fabrication Welding and Inspection, and Casting Inspection
and Repair for Machinery, Piping and Pressure Vessels

NAVSEA S9086-CH-STM-010 - NSTM Chapter 074 V1 (Welding and Allied Processes)
NAVSEA S9086-CH-STM-020 - NSTM Chapter 074 V2 (Nondestructive Testing of Metals, Qualification and
Certification Requirements for Naval Personnel (Non-nuclear))
NAVSEA S9086-CH-STM-030 - NSTM Chapter 074 V3 (Gas Free Engineering)
NAVSEA S9086-CJ-STM-010 - NSTM Chapter 075 (Threaded Fasteners)
NAVSEA S9086-CM-STM-010 - NSTM Chapter 078 (Gaskets, Packing and Seals)
NAVSEA S9086-CN-STM-030 - NSTM Chapter 079 V3 (Damage Control Engineering Casualty Control)
NAVSEA S9086-CN-STM-040 - NSTM Chapter 079 V4 (Damage Control; Compartment Testing and Inspection)
NAVSEA S9086-CQ-STM-010 - NSTM Chapter 081 R4 (Waterborne Underwater Hull Cleaning of Navy Ships)
NAVSEA S9086-C4-STM-000 - NSTM Chapter 094 (Trials)
NAVSEA S9086-C6-STM-000 - NSTM Chapter 096 (Weights and Stability)
NAVSEA S9086-DA-STM-000 - NSTM Chapter 100 (Hull Structures)
NAVSEA S9086-GX-STM-010 - NSTM Chapter 220, V1 (Boiler Water/Feedwater Chemistry)
NAVSEA S9086-GX-STM-020 - NSTM Chapter 220, V2 (Water Treatment)
NAVSEA S9086-GY-STM-010 - NSTM Chapter 221 (Boilers)
NAVSEA S9086-G1-STM-010 - NSTM Chapter 223, V1 (Submarine Storage Batteries - Lead Acid Batteries)
NAVSEA S9086-G9-STM-000 - NSTM Chapter 231 (Propulsion and SSTG Steam Turbines)

NAVSEA S9086-HB-STM-010 - NSTM Chapter 233 (Diesel Engines)
NAVSEA S9086-HC-STM-000 - NSTM Chapter 234 (Marine Gas Turbines)

NAVSEA S9086-HK-STM-010 - NSTM Chapter 241 (Propulsion Reduction Gears, Couplings, Clutches and Associated Components)

NAVSEA S9086-HN-STM-010 - NSTM Chapter 244 (Propulsion Bearings and Seals)

NAVSEA S9086-H7-STM-010 - NSTM Chapter 262 (Lubricating Oil)

NAVSEA S9086-KC-STM-010 - NSTM Chapter 300 (Electric Plant - General)

NAVSEA S9086-QN-STM-010 - NSTM Chapter 475 (Magnetic Silencing)

NAVSEA S9086-RJ-STM-010 - NSTM Chapter 504 (Pressure, Temperature and other Mechanical and Electromechanical Measuring Instruments)

NAVSEA S9086-RK-STM-010 - NSTM Chapter 505 (Piping Systems)

NAVSEA S9086-RQ-STM-010 - NSTM Chapter 510 (Heating, Ventilation, and Air Conditioning Systems for Surface Ships)

NAVSEA S9086-SP-STM-010 - NSTM Chapter 542 (Gasoline and JP-5 Fuel Systems)

NAVSEA S9086-SX-STM-010 - NSTM Chapter 550 (Industrial Gases; Generating, Handling, and Storage)

NAVSEA S9086-SY-STM-010 - NSTM Chapter 551 (Compressed Air Plants and Systems)

NAVSEA S9086-TA-STM-010 - NSTM Chapter 562 (Surface Ship Steering)

NAVSEA S9086-TD-STM-010 - NSTM Chapter 565 (Surface Ship Stabilizing Systems)

NAVSEA S9086-TK-STM-010 - NSTM Chapter 571 (Underway Replenishment)

NAVSEA S9086-TL-STM-000 - NSTM Chapter 572 (Shipboard Stores and Provision Handling)

NAVSEA S9086-TM-STM-000 - NSTM Chapter 573 (Booms)

NAVSEA S9086-TV-STM-010 - NSTM Chapter 581 (Anchoring)

NAVSEA S9086-TX-STM-010 - NSTM Chapter 583 (Boats and Small Craft)

NAVSEA S9086-T3-STM-010 - NSTM Chapter 588 (Aircraft Elevators)

NAVSEA S9086-T4-STM-010 - NSTM Chapter 589 (Cranes)

NAVSEA S9086-T8-STM-010 - NSTM Chapter 593 (Pollution Control)

NAVSEA S9086-UU-STM-010 - NSTM Chapter 613 (Wire and Fiber Rope and Rigging)

NAVSEA S9086-VD-STM-010 - NSTM Chapter 631 V1 (Preservation of Ships In-Service - General)

NAVSEA S9086-VD-STM-020 - NSTM Chapter 631 V2 (Preservation of Ships In-Service - Surface Preparation and Painting)

NAVSEA S9086-VD-STM-030 - NSTM Chapter 631 V3 (Preservation of Ships In-Service - Surface Ship/Submarine Applications)

NAVSEA S9086-VF-STM-010 - NSTM Chapter 633 (Cathodic Protection)

NAVSEA S9086-VG-STM-010 - NSTM Chapter 634 (Deck Coverings)

NAVSEA S9086-VH-STM-010 - NSTM Chapter 635 (Thermal, Fire and Acoustic Insulation)

NAVSEA S9086-WK-STM-010 - NSTM Chapter 670 (Stowage, Handling and Disposal of Hazardous General Use Consumables)

NAVSEA S9086-XG-STM-010 - NSTM Chapter 700 (Shipboard Ammunition Handling and Stowage)

NAVSEA S9086-ZN-STM-000 - NSTM Chapter 772 (Cargo and Weapons Elevators)

NAVSEA S9086-7G-STM-000 - NSTM Chapter 997 (Drydocking of Naval Vessels)

NAVSEA S9086-7G-STM-010 - NSTM Chapter 997 (Docking Instructions and Routine Work in Dry Dock)

NAVSEA 0348-LP-159-1000 - Freeze Sealing Manual (Nuclear)

NAVSEA 0387-LP-046-8000 - System Hydrostatic Test Requirements

NAVSEA 0900-LP-001-7000 - Fabrication and Inspection of Brazed Piping Systems

NAVSEA 0900-LP-016-7008 - Submarine Antenna Technical Documentation

NAVSEA 0900-LP-095-4010 - Ship Test and Evaluation Planning Guide

NAVSEA 0901-LP-120-0001 - NSTM Chapter 9120 (Hull Fittings, Lashing Gear, and Access Closures)

NAVSEA 0902-018-2010 - General Overhaul Specifications for Deep Diving SSBN/SSN Submarines (DDGOS)

NAVSEA 0905-LP-485-6010 - Manual for the Control of Testing and Ships Conditions

NAVSEA 0924-LP-062-0010 - Submarine Safety (SUBSAFE) Requirements Manual

NAVSEA 0948-LP-045-7010 - Material Control Standard
 NAVSEA 0967-LP-412-3050 - Sonar Dome Handbook, Volume 5

NAVSEA 0989-028-5000 - Manual for Control of Testing and Plant Conditions (Nuclear)

NAVSEA 0989-LP-026-1000 - A4W/A1G Reactor Plant Manual
 NAVSEA 0989-LP-030-7000 - Lifting Standard
 NAVSEA 0989-LP-031-4000 - Reactor Instrumentation and Control Equipment Maintenance
 NAVSEA 0989-LP-037-2000 - Commissioned Submarine General Reactor Plant Overhaul and Repair Specifications

NAVSEA 0989-LP-040-6000 - Air Flask Inspection and Maintenance Requirements (Nuclear)
 NAVSEA 0989-LP-043-0000 - Commissioned Surface Ship General Reactor Plant Overhaul and Repair Specification
 NAVSEA 0989-LP-058-0000 - AS/AD Tender Nuclear Support Facilities Preventive Maintenance Index
 NAVSEA 0989-LP-058-1000 - Destroyer Tender and Submarine Tender Nuclear Support Facilities Overhaul and Repair Specification
 NAVSEA 0989-LP-062-4000 - Naval Nuclear Quality Control Manual for Shipyards
 NAVSEA 0989-LP-064-3000 - Cleanliness Requirements for Nuclear Propulsion Plant Maintenance by Forces Afloat

NAVSEA 250-1500-1 - Welding Standard
 NAVSEA 389-0153 - Radiological Controls
 NAVSEA 389-0288 - Radiological Controls
 NAVSEA 389-0317 - Procedures for Maintenance and Repair of Naval Reactor Plants (Nuclear)
 NAVSEA 392-0755 - Seal Welding Manual (Nuclear)

NAVSEA S0300-B2-MAN-010 - Supervisor of Shipbuilding, Conversion and Repair Operations Manual
 NAVSEA S0600-AA-PRO-230 - Underwater Ship Husbandry Manual, Chapter 23: Submarine Predeployment Noise Inspections
 NAVSEA S0600-AA-PRO-280 - Underwater Ship Husbandry Manual, Chapter 28: Pollution Prevention
 NAVSEA S5475-AL-PRO-010 - Principles and Procedures for Magnetic Treatment of Ships
 NAVSEA S6470-AA-SAF-010 - Gas Free Engineering Manual
 NAVSEA S8800-00-GIP-000 - Handbook for Fleet Maintenance Activity Technical Library Personnel

NAVSEA S9008-AA-PRO-010 - Lifeboat, Inflatable, MK6, MK7, and MK8 Inspection, Test and Repair Procedures
 NAVSEA S9040-AA-GTP-010 - Shipboard Systems Certification Requirements for Surface Ship Industrial Periods (Non-Nuclear)
 NAVSEA S9073-A2-HBK-010 - Resilient Mount Handbook
 NAVSEA S9073-A4-SNC-010 - USS LOS ANGELES (SSN 688) Class Acoustic Stealth Manual
 NAVSEA S9073-AF-SNC-010(C) - Ship Noise Control
 NAVSEA S9073-AW-SNC-010 - Ship Acoustical Surveys for Submarines
 NAVSEA S9078-AA-HBK-010 - Distributed Isolation Material (DIM) Mount Design Handbook
 NAVSEA S9081-AB-GIB-010 - Reliability Centered Maintenance Handbook
 NAVSEA S9095-AD-TRQ-010/TSTP - Total Ship Test Program Manual
 NAVSEA S9213-33-MMA-000 - Radiological Controls for Ships
 NAVSEA S9213-45-MAN-000 - Naval Nuclear Material Management
 NAVSEA S9221-C1-GTP-010 - Main Boiler Repair and Overhaul (VOL I)
 NAVSEA S9221-C1-GTP-020 - Main Boiler Repair and Overhaul (VOL II)
 NAVSEA S9221-D2-MMA-010 - Steam Generating Plant Inspection (Non-Nuclear)
 NAVSEA S9223-AF-MMO-010 - Submarine Main Storage Battery Technical Manual
 NAVSEA S9233-CJ-HBK-010 - U.S. Navy Diesel Engine Inspectors Handbook, Part 1 (Inspection Procedures)
 NAVSEA S9233-CJ-HBK-020 - U.S. Navy Diesel Engine Inspectors Handbook, Part 2 (Technical Information)

NAVSEA S9313-AM-MMO-010 - Lead-Calcium Alloy Acid Type U.S. Submarine Main Storage Battery
 TRIDENT 1 Type SCC-57

NAVSEA S9425-CF-STD-010 - Submarine Antenna/Periscope and Mast Materials

NAVSEA S9425-CG-STD-010 - Installation Standards for Submarines

NAVSEA S9475-AC-PRO-010 - Degaussing Forms, Records and Reporting Procedures

NAVSEA S9505-AF-MMA-010 - Submarine Non-Nuclear Piping Systems Test Manual

NAVSEA S9505-AM-GYD-010 - Submarine Fastening Criteria (Non-Nuclear), Description, Design and Maintenance

NAVSEA S9510-AB-ATM-010 - Nuclear Powered Submarine Atmosphere Control Manual, Volume 1

NAVSEA S9510-AB-ATM-020/(C) - Nuclear Powered Submarine Atmosphere Control Manual, Volume 2

NAVSEA S9515-A1-MMO-010/020/030 - Automated Electrolytic Oxygen Generator (AEOG) Treadwell Corporation Preliminary Technical Manual, Volumes 1, 2 and 3

NAVSEA S9515-AA-MMO-010 - Electrolytic Oxygen Generator 6L16; Vol 1

NAVSEA S9515-AA-MMO-021 - Electrolytic Oxygen Generator 6L16; Vol 2, Chapter 5, Part I

NAVSEA S9515-AA-MMO-022 - Electrolytic Oxygen Generator 6L16; Vol 2, Chapter 5, Part II

NAVSEA S9515-AA-MMO-030 - Electrolytic Oxygen Generator 6L16; Vol 3

NAVSEA S9515-AA-MMO-040 - Twelve-Pulse Hexagon Power Supply for Electrolytic Oxygen Generator, 6L16; Installation, Operation & Maintenance

NAVSEA S9515-AL-MMA-010/020 - Integrated Low Pressure Electrolyzer (ILPE) Preliminary Technical Manual, Volumes 1 and 2

NAVSEA S9520-AA-MMA-010 - Repair of Submarine Seawater Ball Valves (Non-Nuclear)

NAVSEA S9522-AA-HBK-010 - Description, Operation and Maintenance Handbook for Magazine Sprinkler Systems

NAVSEA S9553-BS-OMP-010 - Oxygen Generating Plant (OGP) Preliminary Technical Manual, Volumes 1 and 2

NAVSEA S9560-CH-SCB-010 - VIRGINIA Class Submarine Fly-By-Wire Ship Control System Certification Boundary Book

NAVSEA S9560-CK-SCB-010 - SEAWOLF Class Submarine Fly-By-Wire Ship Control System Certification Boundary Book

NAVSEA S9587-B1-MMA-010 - Catapult Steam Support Systems for CV/CVN Class Ships; Description, Operation and Maintenance

NAVSEA S9592-AP-MMM-A30 - Dry Deck Shelter System SSN688 Class Host Ship Operating and Emergency Procedures, Volume III

NAVSEA S9592-B3-MAN-010 - Dry Deck Shelter Systems Scope of Certification Notebook, Volume I

NAVSEA S9594-AE-GTP-010 - Disabled Submarine/Requirements for Employment of U.S. Navy Submarine Rescue Systems

NAVSEA S9600-AD-GTP-010 - U.S. Navy Shipboard Furniture Catalog

NAVSEA S9810-AA-GTP-010 - Intermediate Maintenance Activity Work Center Requirements Manual

NAVSEA S9AA0-AB-GOS-010 - General Specifications for Overhaul of Surface Ships (GSO) 2004 Edition

NAVSEA SE004-AK-TRS-010 - Standard Maintenance Practices 2M Electronic Assembly Repair

NAVSEA SE300-AZ-MMA-010 - Description, Operation and Maintenance SSN21 Class Sonar Bow Dome

NAVSEA SE300-MA-MMA-011 - Glass Reinforced Plastic (GRP) Bow Sonar Dome

NAVSEA SE400-DA-MMO-010 - Passive Countermeasure System (PCMS) Technical Manual

NAVSEA SG420-AP-MMA-010 - Periodic Testing Arrangements for Ordnance Handling Equipment

NAVSEA SI 0009-60 - Ship Repair Scheduling

NAVSEA SI 009-01 - General Criteria; Accomplish

NAVSEA SI 009-04 - Quality Management System

NAVSEA SI 009-07 - Procedures and Equipment Required for the Prevention of Fire

NAVSEA SI 009-08 - Fire Fighting and Fire Prevention

NAVSEA SI 009-99 - Private Shipyard Contractual Item to Provide Departure Reports

NAVSEA SL720-AA-MAN-010/020 - Fleet Modernization Program (FMP) Management and Operations Manual
 NAVSEA SL720-AA-MAN-030 - Surface Ship and Aircraft Carrier Entitled Process for Modernization
 Management and Operations Manual

NAVSEA SS500-AQ-MMO-010 - Operation and Maintenance Manual for U.S. Navy Two-Man Open Diving Bell
 NAVSEA SS521-AA-MAN-010 - U.S. Navy Diving and Manned Hyperbaric Systems Safety Certification Manual
 NAVSEA SS521-AG-PRO-010 - U.S. Navy Diving Manual
 NAVSEA SS750-AA-MMA-010 - Submarine Rescue Chamber (SRC), Modernized 850 Ft
 NAVSEA SS800-AG-MAN-010/P-9290 - System Certification Procedures and Criteria Manual for Deep
 Submergence Systems

NAVSEA ST000-A-IDX-010 - Test, Measurement and Diagnostic Equipment Index (TMDEI)
 NAVSEA ST700-AA-LST-010 - Navy Calibration Activity (NCA) List
 NAVSEA ST700-AM-GYD-010 - Metrology and Calibration (METCAL) Laboratory Requirements and
 Certification Guide
 NAVSEA ST700-AM-PRO-010 - Test and Monitoring Systems (TAMS) Program Operations and Procedures

NAVSEA Standard Work Item 077-01 - Hazardous Waste Produced on Naval Vessels; control

NAVSEA T0300-AA-MMI-010 - Commercial Industrial Services (CIS) Manual

NAVSEA T9044-AD-MAN-010 - Requirements Manual for Submarine Fly-By-Wire Ship Control Systems
 NAVSEA T9074-AS-GIB-010/271 - Requirements for Nondestructive Testing Methods
 NAVSEA T9074-AD-GIB-010/1688 - Requirements for Fabrication, Welding and Inspection of Submarine
 Structure
 NAVSEA T9512-AC-TRQ-010 - SS/SSN/SSBN Submarine Snorkel Systems

NAVSEA TE000-AA-MAN-010/2M - Certification Manual for Miniature/Microminiature (2M)/Module Test and
 Repair (MTR) Program
 NAVSEA TL710-AB-MAN-010 - Depot Modernization Period (DMP) Procedures Manual
 NAVSEA TW024-AA-ORD-010 - Unserviceable, Suspended, and Limited Use Ammunition

NAVSEA Technical Specification 9090-100 - Planning Yard (PY) Representatives
 NAVSEA Technical Specification 9090-310 - Ship Alteration Accomplishment by Alteration Installation Teams
 (AIT)

NAVSEA STD DWG 213-4362626 - Lagging and Insulation Schedule for Reactor Plant Systems
 NAVSEA STD DWG 407-5287556 - Electronics Material Officer's Guide to Shipboard Electromagnetic
 Interference Control

NAVSEA STD DWG 709-5549373 - Weapons Handling Equipment SSN 688 Class Test Loads/ Methods and
 Inspection Procedures
 NAVSEA STD DWG 709-5549374 - Weapons Handling Equipment SSBN 726 Class Test Loads/Methods and
 Inspection Procedures
 NAVSEA STD DWG 709-6633924 - Vertical Launch System Weapons Handling Equipment SSN 688 Class Test
 Loads/Methods and Inspection Procedures
 NAVSEA STD DWG 709-6726350 - Weapons Handling Equipment SSN 21 Class Test Loads/Methods and
 Inspection Procedures

NAVSEA STD DWG 803-5000902 - Safety Net, Deck Edge, Steel Frame and Nets
 NAVSEA STD DWG 803-5184097 - Safety Net, Deck Edge, Aluminum Frame and Nylon Nets
 NAVSEA STD DWG 803-5959209 - Aircraft Deck Tiedown Fittings
 NAVSEA STD DWG 804-1213717 - Vehicle Tiedown Deck Fittings
 NAVSEA STD DWG 804-5184163 - Trunk Safety Nets
 NAVSEA STD DWG 805-1639000 - Deck Screw Reversible Eyebolts

NAVSEA STD DWG 805-1645271 - Portable Davits
NAVSEA STD DWG 805-1916300 - Aircraft Securing and Engine Run-up Fittings
NAVSEA STD DWG 805-2276338 - Cleats
NAVSEA STD DWG 805-921806 - Installation of Planking on Deck Plating

NAVSEAINST 3151.1 - Diving and Manned Hyperbaric Systems Certification Program
NAVSEAINST 3960.4 - Implementation of Total Ship Test Program for Ship Production
NAVSEAINST 3960.5 - Policy on Ship Testing

NAVSEAINST 4130.9 - Configuration Control Procedures For Preparation of Ordnance Alterations (ORDALTS) to Expendable and Non-Expendable Items
NAVSEAINST 4160.3 - Technical Manual Management Program (TMMP)
NAVSEAINST 4200.17 - Contracting Officer's Representative
NAVSEAINST 4280.2 - Master Agreement for Repair and Alteration of Vessels, Master Ship Repair Agreement (MSRA) and Agreement for Boat Repair (ABR)
NAVSEAINST 4355.7A - Nondestructive Test (NDT) Examiner Qualification and Requalification
NAVSEAINST 4441.2 - Changes to Coordinated Shipboard Allowance List (COSAL); Procedures for

NAVSEAINST 4700.6A - Guarantee Engineer and Industrial Availability Quality Assessment
NAVSEAINST 4700.8A - Policy for Performance of Depot Level Ship Availabilities
NAVSEAINST 4700.17 - Preparation and Review of Trouble Reports

NAVSEAINST 4710.13 - Government Man-day Rates for Use in Private Sector Ship Overhaul and Repair, Planning, Programming and Budgeting
NAVSEAINST 4710.6 - Submarine Advanced Equipment Repair Program (AERP); Assignment of Responsibilities for and Administration of
NAVSEAINST 4710.7 - Standard Cost Estimating Form for Private Sector Overhaul and Repair Availabilities
NAVSEAINST 4710.8A - Cost and Performance Reporting for CNO Scheduled Ship Maintenance Availabilities
NAVSEAINST 4710.9 - Requirements for Turnover of Planning Products and Specification Package

NAVSEAINST 4720.11 - Shipboard Installation and Modifications Performed by Alteration Installation Teams
NAVSEAINST 4720.14 - Temporary Alterations to Active Fleet Submarines; Control of
NAVSEAINST 4720.15 - Machinery Alterations on HM&E Equipment and Systems
NAVSEAINST 4720.23 - Deep Submergence Systems Temporary Modifications

NAVSEAINST 4730.2 - Shipyard Inspection and Required Conditions of Propulsion Plant Systems (Non-Nuclear) for Nuclear Powered Surface Ships
NAVSEAINST 4734.1 - NAVSEA Test, Measurement, and Diagnostic Equipment (TMDE) and Calibration Programs

NAVSEAINST 4790.8 - Ship's Maintenance and Material Management (3-M) Manual
NAVSEAINST 4790.14 - Ship Departure and Alteration Completion Reports
NAVSEAINST 4790.16 - SSBN Extended Operating Cycle (EOC) Program; Policy, Procedures and Responsibilities for
NAVSEAINST 4790.17 - Fleet Test and Repair of Shipboard Electronic Equipment
NAVSEAINST 4790.19 - Submarine Engineered Operating Cycle (SEOC) Program

NAVSEAINST 5370.1 - Standards of Conduct and Statements of Affiliations and Financial Interests
NAVSEAINST 5400.95 - Waterfront Engineering and Technical Authority Policy
NAVSEAINST C5511.32 - Safeguarding of Naval Nuclear Propulsion Information
NAVSEAINST 5730.1 - Legislative and Congressional Matters

NAVSEAINST 7500.1 - Audits of NAVSEA by External Audit Organizations
NAVSEAINST 7670.1 - Navy Industrial Fund (NIF) Financial Management Systems and Procedures Manual

NAVSEAINST 9070.1 - Standard Specification for Ship Repair and Alteration Committee
NAVSEAINST C9073.2 - Acoustical Survey of Submarines
NAVSEAINST C9094.2 - Submarine Valve Operation Requirements for Builders and Post-Overhaul Sea Trial Test Dives
NAVSEAINST C9096.2 - Weight and Stability Requirements for Active Submarines

NAVSEAINST 9210.31 - Government Procurement Quality Source Inspection Actions for Shipyard Procedure of Material Under NAVSEA 08 Cognizance
NAVSEAINST C9210.4 - Changes, Repairs and Maintenance to Nuclear Powered Ships
NAVSEAINST 9210.14 - Changes to Submarine Tenders and Destroyer Tenders with Nuclear Support Facilities, Requirements Concerning
NAVSEAINST 9210.23 - Requirements for Naval Nuclear Work at Naval Activities and Private Shipyards - Certification of Work Accomplishment and Data Retention of Associated Records and Retention of Design Records
NAVSEAINST 9210.30 - Procedures for Administration of Nuclear Reactor Plant Preventive Maintenance and Tender Nuclear Support Facilities Preventive Maintenance on Ships
NAVSEAINST 9210.31 - Government Procurement Quality Source Inspection Actions for Shipyard Procedure of Material Under NAVSEA 08 Cognizance
NAVSEAINST C9210.34 - All Nuclear Projects - Material Identification and Control Requirements for Naval Nuclear Reactor Plant Piping Systems
NAVSEAINST 9210.36 - Steam Plant Cleanliness Control
NAVSEAINST 9210.39 - Submarine Nuclear Propulsion Plant Operator Welders: Procedures for Maintenance of Qualification
NAVSEAINST 9210.41 - All Naval Nuclear Propulsion Plants - Use of Standard Lubricants and Penetrating Fluid; Requirements for
NAVSEAINST 9210.45 - Reactor Plant Welding and Nondestructive Testing Personnel

NAVSEAINST 9304.1 - Shipboard Electrical Cable and Cableway Inspection and Reporting Procedures
NAVSEAINST 9593.1 - Certification Program for Sewage Marine Sanitation Devices in U.S. Navy Surface Ships and Craft

NAVSO P-1000 - Navy Comptroller Manual
NAVSO P-3006 - Financial Management of Resources Operations and Maintenance, (Shore Activities)
NAVSO P-3635 - Federal Acquisition Regulation, Section 13, Chapter 312
NAVSO P-3013-2 - Financial Management of Resources Operating Forces Procedures

NAVSUP 484 - Supply Afloat Fleet and Field Packaging Procedures
NAVSUP 5009 (DLAM 4215.1) - Management of Defense-Owned Industrial Plant Equipment
NAVSUP Publication 485 - Afloat Supply Procedures
NAVSUP P2003 - Navy Stock List of Forms and Publications
NAVSUPPUB 437 - Material - Required Delivery Date Processing
NAVSUP S6161-Q5-CAT-010 - Ship Food Service Equipment Catalog

NMCARS 5201 - Federal Acquisition Regulations System
NMCARS 5219.2 - Special Contracting Policy
NMCARS 5219.7 - The Small Business Subcontracting Program

NMCARS 5233 - Protests, Disputes and Appeals
NMCARS 5233.9000 - Documentation of Significant Contract Events
NMCARS 5242 - Contract Administration and Audit Services
NMCARS 5245.302 - Providing Facilities
NMCARS 5245.505 - Records and Reports of Government Property

NMCARS Part 5245 - Government Property

NSTR-99 - Qualification Examination Requirements for Nondestructive Test Personnel

NSWC Philadelphia ltr 9320, Ser 934/010 dated 19 Mar 2001, titled Shipboard Circuit Breaker Maintenance and Overhaul Policy

NSWCCD-71-TR-2001/020 - February 2001 USS SEAWOLF (SSN 21) Class Acoustic Stealth Manual

NSWCCD-SSES 933-GGTB 4 - General Gas Turbine Bulletin Number 4 (Marine Gas Turbine Operating Data Report)

NSWCCD-SSES 9332-GGTB 11 - General Gas Turbine Bulletin Number 11 (Gas Turbine Fleet Representatives)

NSWCCD-SSES 9352-GGTB 0 - General Gas Turbine Bulletin Number 0 (Technical Directive Zero Index)

NUSC 551E - Handbook for Submarine Antenna Systems

NWP 1-03.1 - Naval Warfare Publication Operational Report

Occupational Safety and Health Act of 1970

ONRINST 5400.1 - Obtaining Waivers Under Office of Naval Research Designation as a Reinvention Laboratory

OPNAV 43P6 - MEASURE Users Manual

OPNAVINST 3000.12 - Operational Availability of Equipments and Weapons Systems

OPNAVINST C3000.5 - Operation of Naval Nuclear Powered Ships

OPNAVINST 3120.28 - Certification of the Aviation Capability of Naval Ships Operating Aircraft

OPNAVINST 3120.32 - Standard Organization and Regulations of the U.S. Navy

OPNAVINST 3120.33 - Submarine Extended Operating Cycle (SEOC) Program

OPNAVINST 3150.27 - Navy Diving Program

OPNAVINST 3540.3 - Naval Nuclear Propulsion Examining Boards

OPNAVINST 3540.4 - Propulsion Examining Boards for Conventionally Powered Ships

OPNAVINST 3960.16 - Navy Test, Measurement, and Diagnostic Equipment (TMDE) Automatic Test Systems (ATS), and Metrology and Calibration (METCAL)

OPNAVINST 4000.57 - Logistic Support of the TRIDENT and POSEIDON Fleet Ballistic Missile (FBM) Systems

OPNAVINST 4100.11 - Navy Energy Usage Reporting System (NEURS)

OPNAVINST 4614.1 - Uniform Material Movement and Issue Priority System

OPNAVINST 4700.7 - Maintenance Policy for U.S. Naval Ships

OPNAVINST 4700.8 - Trials, Acceptance, Commissioning, Fitting Out, Shakedown and Post Shakedown Availability of U.S. Naval Ships Undergoing Construction or Conversion

OPNAVINST 4700.38 - Berthing and Messing During CNO Scheduled Maintenance Availabilities

OPNAVINST 4720.2 - Fleet Modernization Program (FMP); Policy For

OPNAVINST 4730.5 - Material Inspection of Ships Conducted by the Board of Inspection and Survey

OPNAVINST 4730.7 - Material Inspection of Submarines Conducted by the Board of Inspection and Survey

OPNAVINST 4780.6 - Policy for Administering Service Craft and Boats in the U.S. Navy

OPNAVINST 4790.2 - The Naval Aviation Maintenance Program (NAMP)

OPNAVINST 4790.4 - Ships' Maintenance and Material Management (3-M) Manual

OPNAVINST 4790.15 - Aircraft Launch and Recovery Equipment Maintenance Program (ALREMP)

OPNAVINST 5090.1 - Environmental and Natural Resources Program Manual

OPNAVINST 5100.19 - Navy Occupational Safety and Health (NAVOSH) Program Manual for Forces Afloat

OPNAVINST 5100.20 - Shipboard Heat Stress Control and Personnel Protection

OPNAVINST 5100.23 - Navy Occupational Safety and Health (NAVOSH) Program Manual

OPNAVINST 5420.53 - General Precept for the Conduct of Trials and Material Inspections of Ships and Service Craft

OPNAVINST C5510.93 - Navy Implementation of National Policy on Control of Compromising Emanations

OPNAVINST C8950.2 - Magnetic Silencing

OPNAVINST 9070.2 - Signature Control Policy for Ships and Craft of the U.S. Navy

OPNAVINST 9080.3 - Procedures for Tests and Trials of Navy Nuclear Powered Ships Under Construction, Modernization, Conversion, Refueling and Overhaul

OPNAVINST 9110.1 - Policy Concerning Submarine Test and Operating Depths

OPNAVINST C9210.2 - Engineering Department Manual for Naval Nuclear Propulsion Plants

OPNAVINST 9220.2 - U.S. Navy Boiler Water and Feedwater Test and Treatment Program (Nuclear Excluded)

OPNAVINST 9220.3 - Propulsion and Auxiliary Plant Inspection and Inspector Certification Program

OPNAVINST 9221.1 - U.S. Navy Steam Generating Plant Inspection and Inspector Training and Certification Program

OPNAVINST 9233.1 - U.S. Navy Diesel Inspection and Inspector Training and Certification Program

OPNAVINST 9640.1 - Shipboard Habitability Program

OPNAVNOTE 4700 - Representative Intervals, Durations, Maintenance Cycles, and Repair Mandays for Depot Level Maintenance Availabilities of U.S. Navy Ships

OPNAVNOTE 4710 - Fleet Depot Maintenance Schedule

OPNAVNOTE 4780 - Service Craft and Boats Accounting Report (SABAR)

OSHA 29 CFR 1915 - Confined and Enclosed Spaces and Other Dangerous Atmospheres in Shipyard Employment

Public Law 97-114 - DoD Appropriations Act

S0005-AA-GYD-030 - Guide for User Maintenance of NAVSEA Technical Manuals; NAVSEA Technical Manual Management Program

S9040-AC-IDX-010 - Ships 3-M Reference Information CD

S0400-AD-URM-010/TUM - Tag Out User's Manual

SECNAV M-5210.1 - Records Management Manual

SECNAVINST 4855.3A - Product Data Reporting and Evaluation Program (PDREP)

SECNAVINST 5400.15 - Department of the Navy Research, Development and Acquisition, and Associated Life Cycle Management Responsibilities

SECNAVINST 5430.92 - Assignment of Responsibilities to Counteract Fraud, Waste and Related Improprieties within the Department of the Navy

SECNAVINST 5510.30 - Department of the Navy Personnel Security Program

SECNAVINST 5510.36 - Department of the Navy Information Security Program Regulation

SL720-AA-MAN-010 - Fleet Modernization Program (FMP) Management and Operations Manual

SOBT Video SVT-GT-9336 - Submarine Preservation

SPCCINST 4440.376 - Supply Policies and Procedures for Naval Reactor Plant Parts and Material

SPCCINST 4440.482 - Pipe, Fittings, Fasteners

SPCCINST 4441.170 - COSAL Use and Maintenance Manual

SSN21-081-PMS350L-035 - Rotatable Pool Management Plan for the SEAWOLF Class SSN

SSPINST 4720.1 - Policies and Procedures for Alteration of Strategic Weapon System Equipment

SSPINST 5600.11 - Preventive Maintenance Management Program for Strategic Weapon Systems Equipment and Associated Material

SSPINST 8950.2 - Procedure for Fleet Ballistic Missile (FBM)/Strategic Weapons System (SWS) Components During Flash-Deperm Treatment of an SSBN

STARS Users Manual (FMSO P-104)

SUBMEPP Technical Specification 4730-012-0624 - Submarine Electromagnetic Compatibility (EMC) Survey Manual

SUBMEPP Test Procedure 441-5-7001 - SSN 688 Class Submarine, Systems EMI Measurements, Dockside

SWT 077-01 - Hazardous Waste Produced on Naval Vessels; control

SWT 857-01 - Temporary Galley and Messing Facilities; provide

SWT 857-011 - Temporary Off Ship Berthing Equivalent to BOQ/BEQ; provide

The North American Industry Classification System (NAICS)

Title 10 U.S. Code

TL130-A1-HBK-010 - MSC Procedures Manual - Maintenance Support Center Library Procedures Manual

TMIN SL700-AB-GYD-010 - Pictorial Guide for Painting Ship's Interiors

URO-MRC 003

U.S. Navy Regulations Article 1115

APPENDIX B**RESPONSIBILITIES****Fleet Commander**

Section	Area of Responsibility	Responsibility
FWD-7.3.1	Life Cycle Maintenance Process for JFMM	<ul style="list-style-type: none"> • Establish a JFMM Board of Directors (BOD) • Provide final approval and promulgation letter • Provide funding for life cycle maintenance • Approve all Advanced Change Notices (ACN) • Convene periodic JFMM BOD review meetings • Designate Atlantic and Pacific Fleet JFMM Coordinators
II-I-3.3.6.1	Maintenance Policies and Procedures	<ul style="list-style-type: none"> • Maintain availability intervals and cycles • Inform of changes affecting ship manning requirements • Coordinate as applicable to accomplish availability planning • Implement Docking Officer Qualifications and Certifications • Plan and monitor availability execution • Plan and provide berthing, messing, etc., if necessary
II-I-3.6.1.1	Availability Execution	<ul style="list-style-type: none"> • Monitor to achieve balance of cost and schedule • Ensure testing of applicable systems is conducted prior to availability completion • Provide berthing, messing, etc., if necessary
IV-3.3.3	Boiler Inspections	<ul style="list-style-type: none"> • Identify and designate inspection responsibilities • Ensure inspection report is recorded and updated in BIRMIS • Schedule and coordinate inspections to avoid unnecessary opening of boilers • Ensure availability of "school ships" • Suspension of SGPIs who fail to comply with requirements of certification • Administer and control TYCOM pre-test program • Host semi-annual SGPI seminars • Provide qualified SGPI when requested
V-I-1.2.1	Organizational Responsibilities	<ul style="list-style-type: none"> • Promulgate QA Program through guidelines of Volume V of JFMM • Promote use of Volume V of JFMM by TYCOMs • Jointly authorize changes to Volume V of JFMM • Review TYCOM QA program by annual conference • Assessments of FMAs and RMCs occur in accordance with Volume IV, Chapter 2, paragraph 2.1.1

Section	Area of Responsibility	Responsibility
VI-6.4.1	Industrial Plant Equipment	<ul style="list-style-type: none"> • Review all PEPs • Prioritize and assign project number to PEPs • Forward information regarding PEPs to submitting activities
VI-8.2.1	Miniature/Micro-miniature Electronic Repair Program	<ul style="list-style-type: none"> • Operationally administer 2M and module test repair programs • Inspect and certify 2M repair facilities and technicians • Ensure all 2M maintenance actions are documented
VI-9.2.1	Metrology and Calibration Program	<ul style="list-style-type: none"> • Operationally administer METCAL program • Ensure calibration performed at lowest level practical • Monitor effectiveness of programs • Chair working groups and committees • (Surface) Establish SISCAL program • Provide funding for calibration and testing of TAMS (exceptions)
VI-42.6.1	Material Assessment	<ul style="list-style-type: none"> • Maintain a common material assessment process and policy • Be the Fleet's advocate and single point of contact for all material assessment issues • Provide and support a standard material assessment tool set • Review the personnel and monetary resources required • Establish minimum standards of continuous program improvements

Type Commander (TYCOM)

Section	Area of Responsibility	Responsibility
FWD-7.3.2	Life Cycle Maintenance Process for JFMM	<ul style="list-style-type: none"> • Review and evaluate JFMM changes (21 days) • Notify Fleet Commanders of changes which affect ship and personnel safety • Review ACNs and forward to Fleet Commanders • Review and endorse all change packages • Designate representatives of JFMM BOD • Identify changes to JFMM distribution list
II-I-3.3.6.2	Maintenance Policies and Procedures	<ul style="list-style-type: none"> • Coordinate scheduling of availabilities with Fleet Commander • Initiate required budgetary actions • Coordinate work assignments between FMA and industrial activity • Seek resolution of technical problems and coordinate requirements for modernization and repair • Authorize AWP's prepared by SUBMEPP • (Submarines) Coordinate interface 3-M system with PMR scheduling and feedback • Designate representative for WDC/PRC and pre-arrival conference • Recommend to CNO any high priority fleet modernization • (Submarines) Send a Sea Trials Support Services message, if required • (Submarines) For minor maintenance availabilities, send a Waiver of Escort Requirements message when requested by the ISIC • Conduct QA audit of Ship's Force and FMA CWP's • (Submarines) For major availabilities send message for Fast Cruise, Sea Trials and Unrestricted Operations • (Submarines) For availabilities less than six months issue required message for Sea Trials
II-I-3.3.6.3	Maintenance Policies and Procedures	<ul style="list-style-type: none"> • Assist TYCOM and SUBMEPP in preparation of AWP • Monitor corrective maintenance action taken • Schedule and conduct inspections of Forces Afloat • Monitor progress of CNO maintenance availabilities • Ensure that a MOA is executed prior to availability start

Section	Area of Responsibility	Responsibility
II-I-3.6.8.4.1c	Responsibilities for trials and inspections	<ul style="list-style-type: none"> • Schedule Fleet Commander PORSE • Provide Fast Cruise, Sea Trial and completion prerequisites to the ship • Assign material representatives to embark for trials • Inform CNO and Fleet Commander of trials • Provide escorts as required • Conduct ship salvage inspection • Approve Sea Trial Agenda • Report crew readiness and request authorization for critical ops • Report status of SUBSAFE boundary conditions and authorization of Sea Trials • Report status of SUBSAFE certification and authorize URO to test depth
IV-2.4.1	FMA Assessment	<ul style="list-style-type: none"> • Promulgate assessment schedule • Forward precepts letter or message to FMA's Commanding Officer • Conduct in-brief and out-brief with designated personnel • Issue assessment report
IV-5.3.1	Marine Sanitation Devices	<ul style="list-style-type: none"> • Ensure surface ships participate in pollution abatement program • Ensure MSD systems are properly installed, operated and maintained
IV-16.2.3	Aircraft Launch and Recovery Systems	<ul style="list-style-type: none"> • Provide ALRE Maintenance Management Teams to conduct assist visits and annual audits of all units
IV-17.3.3	Steam Catapult Inspection	<ul style="list-style-type: none"> • Provide or arrange for certified SGPIs to perform inspections • Coordinate inspections of all catapult accumulators and support systems • Assist COs in arranging for corrective action of deficient items • Review the SCIRMIS
IV-26.2.1	Board of Inspection and Survey Material Inspections Policy	<ul style="list-style-type: none"> • Act as cognizant authority for conduct of INSURV inspections • Nominate active ships for UMIs by the INSURV board • Schedule inspections/assessments within 60 days of UMI

Section	Area of Responsibility	Responsibility
V-I-1.3.1	Organizational Responsibilities	<ul style="list-style-type: none"> • (Submarines) Obtain NAVSEA approval for exception to REC requirements • Administer a departure from specification system • Perform assessment of nuclear FMAs annually • (Submarines) Perform assessment of ISICs annually • Perform assessment of FMA's non-nuclear programs annually • Perform random, unannounced assessments and monitor visits • Review and evaluate FMA and ISIC reports of corrective actions • (Submarines) Maintain system to provide SUBSAFE certification • Provide annual self evaluation of QA program • Evaluate and analyze proposed changes to this volume • (Submarines) Perform annual SUBSAFE/Scope of Certification awareness training • (Submarines) Develop and implement necessary instructions and procedures to meet requirements of reference (a) • (Submarines) Maintain FBW SCS certification
V-III-1.2.1	Organizational Responsibilities	<ul style="list-style-type: none"> • Obtain SCA approval for REC requirements in SOC systems • Administer DFS system • Perform assessment of ISICs responsible for DSSs annually • Perform random, unannounced Sustaining Activity Quality Assurance assessments • Review and evaluate Sustaining Activity reports of corrective action • Recommend to SCA suspension and reinstatement of DSS certification • Perform annual SOC awareness training
VI-4.8a	Shipboard Electromagnetic Compatibility	<ul style="list-style-type: none"> • Coordinate to identify, solve and correct operational EMI deficiencies • Arrange for SEMCIP services when required • Review and authorize documents prepared by technical agencies • Evaluate comments and recommendations regarding EMI reduction • Ensure FMA and RMC have technicians to support EMI surveys

Section	Area of Responsibility	Responsibility
VI-6.4.2	Industrial Plant Equipment	<ul style="list-style-type: none"> • Review PEPs for technical accuracy and completeness • Review PEPs for conflicts with other maintenance actions • Prioritize PEPs and evaluate each project to ensure compatibility with capability requirements and site configuration • Forward approved requests and return unapproved requests • Schedule annual assessment and coordinate repairs
VI-8.2.2	Miniature/Micro-miniature Electronic Repair Program	<ul style="list-style-type: none"> • Coordinate and manage 2M program • Monitor effectiveness of 2M program • Implement progressive repair procedures • Coordinate logistic support, outfitting requirements and deployment priorities • Monitor 2M certification status • Schedule 2M certifications in conjunction with CSRR • (Aircraft Carriers) Conduct MTRF in accordance with reference (e)
VI-9.2.2	Metrology and Calibration Program	<ul style="list-style-type: none"> • Assign a METCAL program single point of contact • Submit TAMS allowance change requests to TAMS allowance manager • Redistribute excess TAMS • Provide properly trained personnel to authorized calibration activities • Periodically perform Quality Assurance reviews of laboratories • Manage calibration overflow program • Ensure Regional Loan Pools are established • Evaluate FMA/Regional Calibration Laboratories • Coordinate for SCAT assignments and SPETERL revisions • Assign Fleet Commander representatives
VI-11.5.1	Maintenance, Repair and Overhaul of Service Craft, Landing Craft and Small Boats	<ul style="list-style-type: none"> • Coordinate all aspects of advanced planning • Authorize all new industrial work items • Authorize growth in existing industrial work item • Provide funding for authorized work • Monitor and approve changes in established milestones • Direct action when quality or completeness of industrial activity work is in question
VI-12.3.2.1	Degaussing (ships with installed degaussing systems)	<ul style="list-style-type: none"> • Monitor degaussing readiness of assigned ships • Ensure ships "check range" as required

Section	Area of Responsibility	Responsibility
VI-16.2.2.1.3	Habitability Improvement/ Self Help Responsibilities	<ul style="list-style-type: none"> • Develop Five Year Plan, establish priorities for attainment of standards • Plan, schedule, coordinate and monitor projects • Authorize, budget and fund habitability program
VI-19.2.1.1	Ship Maintenance and Material Management	<ul style="list-style-type: none"> • Maintenance Data System • Planned Maintenance System • Alteration Management System • (Submarines) TFBR History/Tracking Program • Maintenance Resource Management System • PMR Scheduling System • CSMP • SNAP I/II/III Organizational Maintenance Management System • TRIDENT Logistical Data System/MRMS Interface • Master Job Catalog
VI-24.7.1	Periodic Maintenance Requirement Program	<ul style="list-style-type: none"> • Provide overall scheduling system for accomplishment of PMRs • Perform periodic audits of ISICs and FMAs • Provide guidance to ISICs when deviation is required
VI-25.3.1	Unrestricted Operations	<ul style="list-style-type: none"> • Perform periodic audits of ISICs and FMAs • Provide guidance to ISICs when deviating from schedules due to DFS requests
VI-27.3.1	Scheduled Preservation Upkeep Coordinated Effort	<ul style="list-style-type: none"> • Administer the SPRUCE program • Maintain and distribute file of SPRUCE lessons learned
VI-31.3.4	Surface Ship Maintenance Placement and Oversight Business Rules	<ul style="list-style-type: none"> • Establish force maintenance policies and directives • Provide list of Fleet Alteration requirements for execution year as input to RMC business plan • Issue spending controls to RMC and update on quarterly basis • Has authority to recapture spending controls previously issued, as a last resort • Funds will be provided early enough to avoid premiums • If not funding an availability, must approve removal of funds before RMC initiates this action • Evaluate Maintenance and Modernization Business Plan adjustment requests • Evaluate RMCs end of quarter financial status report

Section	Area of Responsibility	Responsibility
VI-33.3.2	Ship Maintenance	<ul style="list-style-type: none"> • Execute ship maintenance in accordance with Fleet and TYCOM policies and directives • Develop a BAF percentage for CNO availabilities to account for local business conditions • Make any additional adjustments to controls based on MFOM prioritization of the work package, risk analysis and BCA
VI-33.3.3	Ship Maintenance	<ul style="list-style-type: none"> • Establish Force maintenance policies and directives and authorize the RMC to execute them • Provide the RMC with Target Controls in March of each year • Ensure that established modernization plan is accurate and issue Fleet Alteration Letters of Authorization • Establish the percentage of CNO Availability and CM funding controls to be allocated to the MFOM Funding Distribution Pools • Final approval of MMBP
VI-37.5c	Regional Maintenance Center Passive Countermeasure System Support Requirements	<ul style="list-style-type: none"> • Coordinate in identifying, solving and correcting PCMS deficiencies • Arrange for PCMS maintenance services when required • Review and authorize documents that contain procedures relative to PCMS • Evaluate comments and recommendations regarding Fleet PCMS program
VI-38.3.1	DSS Hull Integrity Procedures	<ul style="list-style-type: none"> • Perform periodic audits of ISICs and FMAs • Provide guidance to ISICs for DFS request and resolution
VI-40.5.1	(SUBS) Messages	<ul style="list-style-type: none"> • Review (SUBS) message traffic • Assist and support the ISIC • Track (SUBS) messages initiated by the TYCOM department generating the message • Track (SUBS) messages generated by submarines under its cognizance

Section	Area of Responsibility	Responsibility
VI-41.3.4.1	Availability Coordination	<ul style="list-style-type: none"> • Assigns scheduled and year long CM and Emergent Maintenance Availabilities • Provides oversight on Ashore Ship Maintenance Manager recommended brokering of work • Funds CNO and CM Depot Availability Contracts • Authorizes growth and new work • Acts on contract cost performance concerns • Resolves CNO availability scheduling issues • Approves other contracting vehicles, as applicable • Authorizes maintenance below MFOM threshold as funding permits • Chairs post availability “Hot Wash” meetings • Makes determination of urgent and compelling circumstances when necessary
VI-42.6.2	Material Assessment	<ul style="list-style-type: none"> • Schedule and authorize material assessments • Define the scope of material assessment • Provide funding for execution and support • Conduct periodic reviews of the material assessment process • Establish standards of effectiveness to ensure program improvement • Evaluate unit’s ability to self assess and report training deficiencies

Immediate Superior in Command (ISIC)

Section	Area of Responsibility	Responsibility
II-I-3.3.6.3	Maintenance Policies and Procedures	<ul style="list-style-type: none"> • Assist TYCOM and SUBMEPP in preparation of AWP • Monitor corrective maintenance action taken • Schedule and conduct inspections of Forces Afloat • Monitor progress of CNO maintenance availabilities • Ensure that a MOA is executed prior to availability start
II-I-3.3.6.3b (Submarines Only)	Maintenance Policies and Procedures	<ul style="list-style-type: none"> • Ensure timely accomplishment and reporting of PMR Maintenance • Ensure industrial activities and ships maintain current copies of Maintenance Standards, PMR schedules and inventories • Review Ship's Force submitted deferrals for industrial activity assistance • Ensure industrial activities provide 3-M and MS feedback for analysis by SUBMEPP • Request SUBMEPP assistance as necessary for assistance with PMR scheduling and software • Report to SUBMEPP inability to perform PMRs • Designate Availability Coordinator • Provide updated Sea Trials status to COMSUBDEVRON FIVE • For minor CNO maintenance availabilities issue required messages as applicable
II-I-4.4.1.1	Common Elements	<ul style="list-style-type: none"> • Coordinate scheduling of availabilities at LMAs • Monitor corrective maintenance action • Schedule and conduct inspections • Monitor progress • Initiate budgetary actions for funding availabilities • Alterations identified by priority based on material availability • Identify routine packages • Review results of monitoring inspections and testing • Identify special evolutions • Issue availability planning message • (Submarines) Ensure PMR and URO MRC actions are identified • (Submarines) Send Sea Trials Support Services message • (Submarines) Provide updated Sea Trials Status

Section	Area of Responsibility	Responsibility
II-I-4.9.1	Interim Drydocking/Pre-Inactivation Restricted Availabilities (Submarines)	<ul style="list-style-type: none"> • Authorize new items and growth industrial work items • Monitor and approve changes in established milestones • Issue direction when Industrial Activity work is in question • Notify TYCOM when Ship's Force work can not be completed • Periodically monitor and assess shipboard conditions • ISIC QA officer will conduct audit of Ship's Force Re-entry Control and Departure from Specification Records • Conduct material inspection prior to Fast Cruise
IV-3.3.6	Boiler Inspections	<ul style="list-style-type: none"> • Maintain overall cognizance of SGPI Program • Schedule routine inspections • Arrange for availability of SGPI during COI/CAI • Monitor follow-up action • Assist COs in arranging for corrective action when requested
IV-14.2.3	Magazine Sprinkler Inspection Requirements	<ul style="list-style-type: none"> • Ensure scheduling of Shipboard Explosive Safety Inspection • Follow-up on all discrepancies posted by verification activity • Act as sole grantor of all magazine sprinkler systems re-certification
IV-18.3.1	Submarine Salvage Inspection	<ul style="list-style-type: none"> • Submarine Salvage Inspection
IV-21.2.1	Submarine Oxygen Generating Plants	<ul style="list-style-type: none"> • Ensure assigned units are in compliance with paragraph 21.1.1 • Conduct periodic inspections and audits • Ensure PMT inspectors perform material inspections of the ship's EOGs
IV-26.2.2	Board of Inspection and Survey Material Inspections Policy	<ul style="list-style-type: none"> • Schedule a Navy Safety Center Safety Survey • Monitor ship's preparation for UMI • Ensure post inspection reporting procedures followed • Attend post-INSURV inspection critiques • Ensure subordinate commands are prepared for scheduled INSURV • Ensure ship is prepared to discuss deficiencies not corrected and items removed from CSMP • Provide ship original and three copies of AWR and CSMP • Monitor reporting and correction of UMI deficiencies

Section	Area of Responsibility	Responsibility
V-I-1.4.1	Organizational Responsibilities	<ul style="list-style-type: none"> • Organize and implement a QA program • (Submarines) Organize and implement program to verify performance of required maintenance • Organize and implement a work request screening process • (Submarines) Review Ship's Force Controlled Work Packages • (Submarines) Ensure ship's certification continuity report is received before ship is underway • Review and sign MOA • (Submarines) Administer a DFS system • Monitor QA program and procedures • Schedule and conduct QA program assessment • Review and endorse TYCOM audit report • Conduct periodic monitoring of Ship's Force work and QA program • (Submarines) Perform annual SUBSAFE/SOC/FBW SCS awareness training • (Submarines) Conduct oral interview with Ship's Force relieving QAO • Ensure fact-finding critiques are held to establish causes of errors during maintenance
V-I-8.3.1g and V-I-8.3.7e(2)	Departure from Specification Procedures	<ul style="list-style-type: none"> • Provide the Job Control Number and Departure serial number for Departures initiated by a depot level activity
V-III-1.2.2	Organizational Responsibilities	<ul style="list-style-type: none"> • Maintain certification on assigned DSS • Ensure Sustaining Activities perform internal surveys • Ensure Sustaining Activities process requests for sustaining certification • Perform QA assessments associated with the DSS and host submarines • Route appropriate DSS SOC DFSs for approval • Conduct vertical audit of assigned DSS unit's OQE • Conduct a sampling audit of the OQE • Perform annual SOC awareness training

Section	Area of Responsibility	Responsibility
VI-3.2.1	Submarine Fleet Modernization Program	<ul style="list-style-type: none"> • Inform FMA of upcoming availabilities • Monitor FMA modernization and availability planning • Establish installation priorities • Ensure no action is taken to accomplish alterations which are not authorized for accomplishment • Maintain a file of alteration briefs • Assist units in preparation of alteration requests • Identify deficiencies and changes to hull applicability of alterations • Ensure only TYCOM authorized or partially completed alterations appear on CSMP • Ensure MJC contains all alterations authorized for completion • Ensure appropriate reports are collected prior to end of availability and critical operations • Ensure RPCCRs are distributed to ship's CO • Schedule required ship checks • Ensure situational alterations are accomplished • Inform ships of alterations planned during an availability • Review reports of alteration completions during CNO availabilities • Ensure Forces Afloat alterations are completed to maximum extent prior to CNO availability • For deploying units, provide to FMA a list of alterations to be completed during deployment upkeep • Allocate portion of FMA ROV for procuring alteration material for installation by Forces Afloat • Before installation begins, ensure MOA is in place for any alteration accomplished by industrial activity • Ensure installation of TEMPALTs/OPALTs is in accordance with reference (e) • Ensure alteration by AIT in accordance with reference (f) • Ensure FMA obtains TYKITs RFI • Ensure no action taken to obtain material for alterations designated as TYKITs • Ensure category "A" A&I's completed within 12 months • Maintain a current status of alterations • Prepare and forward TAMs • Ensure FBW SCS alterations in accordance with reference (g)

Section	Area of Responsibility	Responsibility
VI-8.2.2	Miniature/Micro-miniature Electronic Repair Program	<ul style="list-style-type: none"> • Coordinate and manage 2M program • Monitor effectiveness of 2M program • Implement progressive repair procedures • Coordinate logistic support, outfitting requirements and deployment priorities • Monitor 2M certification status • Schedule 2M certifications in conjunction with CSRR • (Aircraft Carriers) Conduct MTRF in accordance with reference (e)
VI-9.2.4	Metrology and Calibration Program	<ul style="list-style-type: none"> • Monitor calibration readiness status within their respective organizations • Monitor effectiveness of electronic and SGCP FCAs • Ensure that ships with FCAs extend their service to other ships in company • Ensure each ship has necessary standards, documentation and trained personnel to maintain certification • Coordinate resolution of calibration problems • (Submarines) ensure each activity supports PMR/Maintenance Resource Management System scheduling program • (Surface and Air) Calibration Readiness Goal is 85%
VI-11.5.2	Maintenance, Repair and Overhaul of Service Craft, Landing Craft and Small Boats	<ul style="list-style-type: none"> • Review overhaul progress reports • Review Ship's Force and FMA concurrent work • Ensure directives are followed concerning safety • Attend Sea Trial and overhaul completion review conferences • Assist in all aspects of planning and monitoring of industrial availabilities
VI-12.3.2.1	Degaussing (ships with installed degaussing systems)	<ul style="list-style-type: none"> • Monitor degaussing readiness of assigned ships • Ensure ships "check range" as required
VI-12.4.1.1	Submarines Without Installed Degaussing Systems	<ul style="list-style-type: none"> • Ensure ships "check range" as required • Schedule ships with unsat magnetic signatures for flash deperming
VI-19.2.1.3	Ship Maintenance and Material Management	<ul style="list-style-type: none"> • Designate 3M Officer • Centralize maintenance management programs in the MDCO

Section	Area of Responsibility	Responsibility
VI-23.3.1	Submarine Noise Reduction	<ul style="list-style-type: none"> • Assign a Staff Noise Reduction Officer • Oversee and supervise Noise Reduction Program within Squadron • Submit requests for Beartrap Acoustic Radiated Trials • Schedule acoustic surveys during operating cycles of submarines • Recommend and/or authorize corrective actions • Review records, results, procedures and equipment during material readiness inspections • Schedule divers for underwater hull and propeller surveys • Report propeller replacements • Ensure support personnel trained in noise reduction
VI-24.7.3	Periodic Maintenance Requirement Program	<ul style="list-style-type: none"> • Schedule and ensure completion of PMR work within planned periodicity in the CMP • Calldown all PMRs planned for accomplishment into the CSMP by availability dates • Conduct periodic audits of assigned FMAs • Maintain auditable records of PMR accomplishment for each submarine • Maintain automated database of Logistic Data System, Planned/Refit Maintenance Management System • Notify SUBMEPP representative at TYCOM of non-receipt of quarterly PMR Inventories and schedules • Contact SUBMEPP if a PMR has been completed prior to receipt of inventories and schedules • Keep local scheduling system correct and accurate • Ensure PMRs not completed by SUBMEPP due date are replanned • Ensure all "I"-level PMRs are scheduled for accomplishment by FMA prior to end of availability • Review completed AWRs prior to closeout • Transfer PMRs to other FMAs as necessary • Non-scheduled repairs of PMR components • Provide assigned ship's training in TYCOM PMR scheduling system

Section	Area of Responsibility	Responsibility
VI-25.3.3	Unrestricted Operations	<ul style="list-style-type: none"> • Maintain auditable records of URO MRC accomplishment • Perform periodic audits of assigned FMAs • Maintain a file of current URO MRC inventories and schedules as provided by SUBMEPP • Coordinate accomplishment of URO MRCs in accordance with SUBMEPP provided PMR inventories and schedules • Control input of SUBMEPP scheduling file • Ensure all URO MRC requirements are in the CSMP • Request approval from TYCOM for deviations from required periodicities • Establish procedures to affect routing of completed AWRs • Ensure accomplishing activity immediately reports conditions that would result in reduced inspection periodicity • Monitor timely submission of URO MRC data reports and reports of accomplishment • Review ship's certification continuity report prior to underway period • Parent ISIC of deploying ships: ensure URO MRC due for accomplishment during deployment is in CSMP transfer file, provide message to applicable deployed FMA • Deployed squadrons will review URO MRC status of deployed submarines at in-chop • Prior to start of CNO availability: assign JCNs as necessary, reassign URO MRCs not completed • During availability, URO MRCs not accomplished during depot period will be placed on guarantee list or reassigned • Prior to CNO availability completion, audit URO MRCs assigned to Forces Afloat by the AWP • Following availability completion ensure all MRCs were reported and subsequently updated by SUBMEPP
VI-27.3.2	Scheduled Preservation Upkeep Coordinated Effort	<ul style="list-style-type: none"> • Schedule and coordinate SPRUCE upkeeps • Coordinate submarine crew training • Monitor effectiveness of program • Chair a debrief with Ship's Force and FMA to review effectiveness of SPRUCE
VI-28.6.1	Cableway Assessment	<ul style="list-style-type: none"> • Ensure assigned ships are scheduled to receive cableway assessments and training

Section	Area of Responsibility	Responsibility
VI-33.3.2	Ship Maintenance	<ul style="list-style-type: none"> • Execute ship maintenance in accordance with Fleet and TYCOM policies and directives • Develop a BAF percentage for CNO availabilities to account for local business conditions • Make any additional adjustments to controls based on MFOM prioritization of the work package, risk analysis and BCA
VI-38.3.3	DSS Hull Integrity Procedures	<ul style="list-style-type: none"> • Maintain auditable records of DSS HIP accomplishments • Conduct periodic audits of assigned FMAs • Maintain a file of DSS HIP inventories and schedules • Assist in preparation and approve DSS HIP performance schedule • Ensure review and implementation of DSS HIP procedural inventories and schedules • Ensure all DSS HIP requirements are in the CSMP • Request approval from TYCOM for deviations from DSS HIP requirements and periodicities • Establish procedures for routing of completed DSS HIP AWRs • Monitor the timely submission of DSS HIP data report forms and report of accomplishment • Review vehicle's certification continuity report prior to underway period • Ensure DSS HIPs due for accomplishment during deployment are in CSMP transfer file • Provide message to deployed FMA/Squadron identifying DSS HIPs to be accomplished and materials required for period of deployment • Audit DSS HIPs assigned to Forces Afloat by the AWP
VI-40.5.2	(SUBS) Messages	<ul style="list-style-type: none"> • Review and take for action all (SUBS) messages • Track (SUBS) messages sent or initiated by submarines under its cognizance • Track (SUBS) messages initiated by the ISIC

Section	Area of Responsibility	Responsibility
VI-41.3.4.1	(SUBS) Availability Coordination	<ul style="list-style-type: none"> • Assigns scheduled and year long CM and Emergent Maintenance Availabilities • Provides oversight on Ashore Ship Maintenance Manager recommended brokering of work • Funds CNO and CM Depot Availability contracts • Authorizes growth and new work • Acts on contract cost performance concerns • Resolves CNO availability scheduling issues • Approves other contracting vehicles, as applicable • Authorizes maintenance below MFOM threshold as funding permits • Chairs post availability “Hot Wash” meetings • Makes determination of urgent and compelling circumstances when necessary
VI-42.6.2	Material Assessment	<ul style="list-style-type: none"> • Schedule and authorize material assessments • Define the scope of material assessment • Provide funding for execution and support • Conduct periodic reviews of the material assessment process • Establish standards of effectiveness to ensure program improvement • Evaluate unit’s ability to self assess and report training deficiencies

Regional Maintenance Center Commander

Section	Area of Responsibility	Responsibility
II-II-1.2.1	Surface Ship Maintenance	<ul style="list-style-type: none"> • Overall responsibility for efficient planning, brokering and execution of all ship maintenance and modernization for assigned ships
II-II-1.6.1	Metrics	<ul style="list-style-type: none"> • Use metrics to evaluate Maintenance Team processes
V-I-1.6.1	Quality Assurance for Maintenance, Repair and Alteration	<ul style="list-style-type: none"> • Designate the RMC/FMA QAO • (Submarines only) Provide a written report of certification • Certify the qualifications of QA personnel • Ensure the RMC/FMA has an effective audit and surveillance program • Initiate a semi-annual evaluation of the RMC/FMA QA Program
V-I-1.6.3m	RMC/FMA Responsibilities	<ul style="list-style-type: none"> • Ensure fact-finding critiques are held • Contact the ISIC for issues that will result in a SUBSAFE critique
VI-2.5.2	Technical Assistance	<ul style="list-style-type: none"> • Ensure sufficient capability exists to provide timely response to all requests for technical assistance • Ensure RMC mission funds are used to fund all FTA efforts • Ensure technical support is provided to Fleet units. • Ensure the initial response to every FTA request is via Distance Support • Ensure personnel responding to a request for technical assistance are thorough in their review of the specific technical problem • Ensure acknowledgment and response to all FTA requests • Ensure personnel providing on-site technical assistance keep the cognizant ship's department head or designated representative informed • Ensure a TAVR is submitted at the completion of an on-site FTA • Ensure submission of a message report if an on-site assist visit is terminated

Section	Area of Responsibility	Responsibility
VI-31.3	Business Responsibilities	<ul style="list-style-type: none"> • Execute surface ship maintenance • Develop a consolidated spending plan for the execution year • Issue quarterly spending controls to all of the Maintenance Teams • Evaluate Maintenance and Modernization Business Plan adjustment requests • Redistribute controls across the surface ship Maintenance Teams • Provide an impact statement to the TYCOM regarding the effect on the execution of maintenance • Provide a recommendation to minimize the impact on Force readiness • Evaluate the financial status of each of the Maintenance Teams on a monthly basis • Submit end of quarter financial summary reports to the respective surface TYCOM • Use Emergency Maintenance funds to execute CNO availability or CM maintenance • Determine when Emergency Maintenance funds should be used for the correction of C2 CASREPs or other non-CASREP related, but nonetheless urgent maintenance • Approve any planned delay of action on a CASREP • Generate monthly reports for all assigned ships planning, in or having completed Hot Wash following completion of a CNO availability
VI-33.3.2	Ship Maintenance	<ul style="list-style-type: none"> • Execute ship maintenance in accordance with Fleet and TYCOM policies and directives • Develop a BAF percentage for CNO availabilities to account for local business conditions • Make any additional adjustments to controls based on MFOM prioritization of the work package, risk analysis and BCA

Section	Area of Responsibility	Responsibility
VI-35.5.2	Operational Responsibilities	<ul style="list-style-type: none"> • Adhere to established policy, guidance and regulations regarding expenditure of government funds • Comply with all applicable environmental, safety and health requirements • Ensure appropriately trained personnel are available to meet mission requirements • Submit budget and ensure fiscal execution information is provided as directed by higher authority • Focus command on improving operations to achieve efficiencies • Comply with all NAVSEA Technical Warrant requirements • Comply with Federal Acquisition Regulations and NAVSEA Contracting Warrant guidance • Accomplish Navy Supervising Activity responsibilities for RMC administered work • Maintain quality surveillance system • Accomplish maintenance, repair and modernization of ships
VI-37.5d.	Countermeasure System Support Requirements	<ul style="list-style-type: none"> • Schedule PCMS core activities prior to deployment for each unit • Review and take the appropriate action to correct PCMS discrepancies for subordinate units • Request NAVSEA engineering assistance when determined necessary
VI-39.7.2	Action Item Reports	<ul style="list-style-type: none"> • Periodically report status of Hot Wash action items.
VI-41.3.4.1	Availability Coordination (Surface Ships)	<ul style="list-style-type: none"> • Assigns scheduled and year long CM and Emergent Maintenance Availabilities • Provides oversight on Ashore Ship Maintenance Manager recommended brokering of work • Funds CNO and CM Depot Availability contracts • Authorizes growth and new work • Acts on contract cost performance concerns • Resolves CNO availability scheduling issues • Approves other contracting vehicles, as applicable • Authorizes maintenance below MFOM threshold as funding permits • Chairs post availability "Hot Wash" meetings • Makes determination of urgent and compelling circumstances when necessary
VII-6.6.2	Maintenance Center Funding	<ul style="list-style-type: none"> • Develop a consolidated spending plan for the execution year • Determine when Emergency Maintenance funds should be used for the correction of C2 CASREPs or other non-CASREP related, but nonetheless urgent maintenance

Ship's Commanding Officer

Section	Area of Responsibility	Responsibility
II-I-3.3.6.5	Maintenance Policies and Procedures	<ul style="list-style-type: none"> • Review AWP's and provide comments to TYCOM, ISIC and SUBMEPP • Assign a Ship's Selected Records Coordinator • Publish policies concerning the ship status and crew before availability starts <p>(Submarines Only)</p> <ul style="list-style-type: none"> • Review status of PMR maintenance schedules and CSMP reports with ISIC prior to CNO availability • Maintain a current SUBMEPP PMR inventory
II-I-3.6.8.3.11b	Availability Completion Prerequisites	<ul style="list-style-type: none"> • Verify satisfactory completion of all Sea Trial evolutions
II-I-3.6.8.4.1e	Responsibilities for trials and inspections	<ul style="list-style-type: none"> • Carry out responsibilities per reference (e) • Develop and execute training plans and documents • Supervise operation of nuclear propulsion plant • Prepare ship's engineering personnel; and propulsion plant spaces for inspection • Maintain PMS, SUBSAFE re-entry control, RPPMS, in accordance with applicable references • Participate in at-sea periods prior to the first Sea Trials • Review Sea Trial agenda and concur • Undergo salvage inspection • Conduct one day Ship's Force dock trials • Demonstrate state of training of the crew • Ensure all alongside tests, inspections, and trials are conducted • Certify to designated ISIC/TYCOM representative that all salvage inspections discrepancies have been corrected • Concur with Supervising Authority message • Report by message to TYCOM that ship and crew are ready for Sea Trials • When authorized conduct a Fast Cruise • Concur with Supervising Authority message • Report completion of Fast Cruise to TYCOM • When requirements of this instruction are complete and permission is received proceed to sea

Section	Area of Responsibility	Responsibility
IV-3.3.7	Boiler Inspections	<ul style="list-style-type: none"> Request inspections and recommend desired dates to ISIC Prepare for scheduled inspections Review inspection results and initiate corrective actions Assess impact of corrective actions on operating schedules Submit reports per paragraph 3.7.2 Conduct boiler inspections by appropriate PMS item
IV-5.3.2	Marine Sanitation Devices	<ul style="list-style-type: none"> Oversee correction of discrepancies on MSD system installations Prevent food stuffs from being stored in areas below sanitation valves, flanges, or take-down joints Log each unavoidable discharge of prohibited sewage in restricted waters
IV-14.2.1	Magazine Sprinkler Inspection Requirements	<ul style="list-style-type: none"> Sprinkler systems tested in accordance with PMS Magazine temperatures checked and recorded daily Magazines are properly maintained Cognizant industrial activities provide written verification that system is operational System inspection requirements in accordance with reference (a) and PMS System verification inspection prior to weapons on-load Take action to correct discrepancies noted during inspection Ensure design discrepancies reported to TYCOM and entered in CSMP
IV-16.4.1.1	Aircraft Launch and Recovery Systems for Aviation Ships	<ul style="list-style-type: none"> Request CAFSU technical assistance when required Provide berthing and messing for CAFSU representatives Pass to TYCOM any comments concerning performance of CAFSU representatives Upon completion of CAFSU ensure timely departure from ship
IV-17.3.5	Steam Catapult Inspections	<ul style="list-style-type: none"> Request inspections and recommend dates for accomplishment Prepare for scheduled inspections Conduct Ship's Force responsible inspections Review inspection results and initiate corrective actions Assess impact of corrective action on ship's operating schedule

Section	Area of Responsibility	Responsibility
IV-18.3.2	Submarine Salvage Inspection	<ul style="list-style-type: none"> • Request ISIC to conduct salvage inspection • Coordinate support requirements as needed by inspection team • Complete and forward a pre-inspection information letter • Assemble all ship's data indicated in applicable appendix • Take action to correct discrepancies found and report corrections to ISIC • Submit CASREP if applicable
IV-20.2.9	Diver Life Support Systems, Submarine Rescue Chamber and Dry Deck Shelter Maintenance and Certification	<ul style="list-style-type: none"> • Maintain certification of DLSS • Ensure deficiencies identified during recertification inspection are corrected in an expeditious manner • Readiness of DLSS to meet operational requirements • Maintain QA program and re-entry procedures
IV-21.2.3	Submarine Oxygen Generating Plants	<ul style="list-style-type: none"> • Report reduced status in accordance with established procedures • Maintain EOG personnel qualifications • Prohibit operation of EOGs if necessary • Maintain EOG material maintenance log • Ensure EOG material maintenance log is periodically reviewed • Safety related deficiencies promptly entered into ESL • Prior to availability, ensure PMT conducts material inspection of EOGs • Ensure PMT conducts post-availability material inspection • Ensure PMT conducts operational inspection • Ensure electrolysis is secured and EOG is in safe condition prior to drills involving loss of power
IV-26.2.3	Board of Inspection and Survey Material Inspections Policy	<ul style="list-style-type: none"> • Ensure ship is prepared for UMI • Be prepared to discuss items from previous INSURV which is still on CSMP • Designate INSURV coordinator • Assign senior coordinator for each INSURV departmental category

Section	Area of Responsibility	Responsibility
V-I-1.5.1	Organizational Responsibilities	<ul style="list-style-type: none"> • Designate QAO in writing • Approve TWD as required • (Submarines) provide ISIC written report of ship's certification continuity prior to underway • (Submarines) maintain material condition necessary to support URO to authorized operating depth • (Submarines) approve and sign recertification RPWAR • Certify QA personnel qualifications • Review and sign MOA prior to start of SUBSAFE, nuclear, FBW SCS, Level I work • Approve DFSs
VI-2.5.1	Fleet Technical Assistance	<ul style="list-style-type: none"> • Ensure FTA requests are accurate, complete and timely • Ensure TYCOM/ISIC are informed of technical issues • Ensure distance support alternatives are exhausted before requesting on-site technical assistance • Ensure qualified Ship's Force technicians are available for support • Upon completion of technical assistance visit, release FTA personnel • Establish secure, central e-mail account to all RMC techs who visit ship
VI-4.8.d	Shipboard Electromagnetic Compatibility	<ul style="list-style-type: none"> • Ensure EMS PMS is conducted • Request EMI survey within six months of deployment or when any new indications of EMI occur • Transmit EMC departure message to cognizant activities • Maintain up-to-date file of EMI/EMC information
VI-8.2.3	Miniature/Micro-miniature Electronic Repair Program	<ul style="list-style-type: none"> • Establish 2M program under cognizance of Electronics Material Officer and Combat Systems Officer • Maintain certified 2M stations and technicians • Screen and repair all CCAs/Ems • (Aircraft Carriers) establish MTRF with an overall coordinator • (Aircraft Carriers) maintain an active MTRF
VI-9.2.5	Metrology and Calibration Program	<ul style="list-style-type: none"> • Maintain high degree of TAMS calibration readiness • Appoint a calibration coordinator • Ensure only operational TAMS are submitted for calibration • Perform repair of TAMS within capability of Ship's Force • Maintain calibration readiness goal

Section	Area of Responsibility	Responsibility
VI-11.5.3	Maintenance, Repair and Overhaul of Service Craft, Landing Craft and Small Boats	<ul style="list-style-type: none"> • Coordinate planning aspects of craft and/or boat overhauls with TYCOM/ISIC • Prepare and submit overhaul progress reports • Ensure enough trained personnel are assigned to on-site monitoring of crafts and boats • Fulfill responsibilities for safety of craft and personnel
VI-12.3.2.2	Degaussing	<ul style="list-style-type: none"> • Maintain ship's installed degaussing system • Maintain ship's degaussing folder
VI-12.4.1.2	Degaussing (Submarines without degaussing systems)	<ul style="list-style-type: none"> • Ensure magnetic signature minimized by periodic check ranging • Inform ISIC of unsat ranging • Maintain ship's degaussing folder • Undergo flash deperming as directed • Before flash deperming prepare ship's equipment and off-load sensitive material
VI-16.2.2.1.6	Habitability Improvement	<ul style="list-style-type: none"> • Report deficiencies to TYCOM • Assign project manager and petty officer supervision • Assign labor force for removal, space preparation and installation • Conduct training programs • Accept delivery, store and account for materials • Maintain custody of tools for removal and installation • Report changes to Naval Inventory Control Point • Report completion to TYCOM • Ensure ship's selected records are updated
VI-18.6.1	Inflatable Life Rafts	<ul style="list-style-type: none"> • Submit OPNAV 4790/2K for any life raft requiring replacement or recertification • Maintain log or database of all life rafts onboard • Send report to NSWCCD/TYCOM if life raft is lost or transferred to another ship • Ensure life raft fiberglass containers are handled with care • Upon decommissioning contact designated Life Raft Regional Maintenance Activity • Requisition replacement life rafts when necessary
VI-23.3.3	Submarine Noise Reduction	<ul style="list-style-type: none"> • Establish and maintain Ship's Noise Reduction program • Appoint Senior Department Head as Noise Reduction Officer

Section	Area of Responsibility	Responsibility
VI-24.7.5	Periodic Maintenance Requirement Program	<ul style="list-style-type: none"> Responsible for execution of PMR work on ship Document discovered maintenance deficiencies Maintenance deficiencies will reflect block 46 of OPNAV 4790/2K Review Depot Availability Work Packages Review status of PMR maintenance in SUBMEPP quarterly PMR schedules Deficiencies in equipment covered by PMR should be documented Ensure quarterly PMR schedules and inventories are carried onboard Ensure IMMP MRCs, MSs and TRSs are referenced and used during equipment maintenance Report repairs to PMR covered components to ISIC Ensure completed AWRs and PMRs are signed as completed by Ship's Force
VI-25.3.4	Unrestricted Operations	<ul style="list-style-type: none"> Ensure URO MRCs are accomplished within required periodicity For visual inspections between URO MRC 003 inspections use Volume V, Part I, paragraph 5.8.3.d Maintain auditable records of accomplishment of URO MRCs
VI-27.3.4	Scheduled Preservation Upkeep Coordinated Effort	<ul style="list-style-type: none"> Ensure preservation is performed using procedures in references (c) and (e) Ensure Ship's Force are relieved of all requirements except those necessary to maintain safety and security of ship Designate SPRUCE manager Ensure ship is divided into preservation zones Submit completion letter to TYCOM
VI-28.6.5	Cableway Assessment	<ul style="list-style-type: none"> Assign Ship's Force personnel for FMA cableway assessment repair training Correct outstanding discrepancies Within 30 days of completion enter all unrepairs category I discrepancies in CSMP
VI-37.5f	Regional Maintenance Center Passive Countermeasure System Support Requirements	<ul style="list-style-type: none"> (Surface) Maintain shipboard organization per Volume VI, paragraph 37.5f
VI-38.3.4	DSS Hull Integrity Procedures	<ul style="list-style-type: none"> Ensure DSS HIPs are accomplished within required periodicity Maintain auditable records of accomplishment of DSS HIPs

Section	Area of Responsibility	Responsibility
VI-40.5.3	(SUBS) Messages	<ul style="list-style-type: none"> • Track (SUBS) messages initiated by the ship • Respond to technical assistance (SUBS) messages • Use guidance of Chapter VI-2 to request technical assistance • Issue TEMPALT and SHIPALT (SUBS) messages
VI-41.3.1a	Management of Ship Maintenance	<ul style="list-style-type: none"> • Directs efforts to identify all shipboard maintenance requirements • Directs the Maintenance Team • Assigns priorities to work candidates • Reviews, plans and monitors accomplishment of organizational level work • Determines affect of material deficiencies, releases Casualty Reports • Integrates maintenance planning in the Ship's Operational Schedule • Directs development and prioritization of the Ship's Maintenance and Modernization Business Plan • Recommends urgent and compelling decisions to the TYCOM
VI-41.3.3.1	Logistics and Technical Expertise	<ul style="list-style-type: none"> • Initiates requests for technical assistance • Ensures technical assistance satisfies ship's maintenance issue
VI-41.3.4.2	Availability Coordination	<ul style="list-style-type: none"> • Approves final work package submission for the ship • Oversees work execution by maintenance activities • Reports progress weekly to the TYCOM

Section	Area of Responsibility	Responsibility
VI-42.6.4	Material Assessment	<ul style="list-style-type: none"> • Prepare for assessments events • Designate the unit's assessment event coordinator • Send a readiness to commence assessment message • Provide support for assessment team • Prepare systems/equipment, tag outs, Work Authorization Form, request support services, generate Quality Assurance packages • Ensure there are no conflicting evolutions, training, drills, etc. • Defer scheduling of preventive maintenance requirements • Host assessment event briefings • Ensure the 3-M Coordinator, Functional Area Supervisors, and the Supply Officer are available as needed • Ensure divisional personnel are assigned to work closely with the Assessment Team Subject Matter Experts • Remove key maintenance personnel from the watch bill • Correct material discrepancies as time permits • Send a Quicklook completion message

Quality Assurance Officer

Section	Area of Responsibility	Responsibility
V-I-FWD-App B	Loss of Traceability	<ul style="list-style-type: none"> • Initiate action to restore traceability or use alternate traceable material
V-I-1.5.12	Ship Responsibilities	<ul style="list-style-type: none"> • Administer ship's QA program • Review TWDs • Review FWPs • Verify completed test results • Review and close out TWDs as required • Maintain record files as required • Determine suitability for use of material from another ship • Provide disposition instructions for rejected material • Obtain documentation for certified material • Provide technical services to Supply Officer • Authorize downgrading of material • Review requests for DFS • Maintain auditable file of outstanding DFS; audit active DFSs prior to underway • Maintain DFS files • Verify ship's mapping plans, selected records and drawings are updated as required • Submit DFS clearance reports • Manage ship's internal QA surveillance program • Ensure that QA training is conducted as required • Implement formal qualification program • Conduct oral qualification interviews • Maintain master qualification list as required • (Submarines only) Verify reactor plant hull integrity area maintenance • (Submarines only) Verify REC is initiated for SUBSAFE boundary work as required • (Submarines only) Maintain SUBSAFE REC records including log • (Submarines only) Coordinate with ISIC and FMA to ensure URO MRC program is in accordance with requirements • (Submarines only) Retain QA form 34 as required • Review as many non-nuclear weld records as possible

Section	Area of Responsibility	Responsibility
V-I-1.6.10	RMC/FMA Responsibilities	<ul style="list-style-type: none"> Organize and implement QA program within the RMC/FMA as required Provide guidance and evaluate efforts to produce work of acceptable standards Prepare QA procedures as required Assist in QA audits as required Provide QA training as required Approve downgrading of controlled material Determine suitability for use of controlled material as required
		<ul style="list-style-type: none"> Provide disposition instructions for rejected material Institute a formal qualification program for QA personnel Train and qualify work center CMPOs/CMHs Review RMC/FMA generated DFSs as required Obtain documentation for certified material Establish and coordinate procedures for material control Review, open and close out TWDs as required Review FWP (Submarines only) Review and sign RPWAR Develop QA training program Maintain current master list of qualifications as required Establish and administer RMC/FMA QA audit and surveillance program Maintain QA records and files Ensure all testing required for completion of TWD is complete and reviewed as required Perform opening and closing reviews of CWP as required
V-I-2.3.7.3	CWP Revisions	<ul style="list-style-type: none"> Concur with addition of material
V-I-2.3.7.8	CWP Closeout	<ul style="list-style-type: none"> Review CWP for correctness and completeness Retain closed CWP
V-I-3.5.1	Maintenance Personnel Training	<ul style="list-style-type: none"> Provide a list of training topics to ship's departments
V-I-3.5.2	Quality Assurance Training	<ul style="list-style-type: none"> Establish a separate advanced training program for personnel as required
V-I-5.8.5.2d	Nuclear Steam Plant Cleanliness	<ul style="list-style-type: none"> Upon loss of cleanliness, approve recovery procedure
V-I-5.10.4b(13)	Re-Entry Control	<ul style="list-style-type: none"> Establish and maintain CWP/REC log
V-I-8.3.1c	Departure From Specification	<ul style="list-style-type: none"> Ensure repair for DFS is entered in ship's CSMP

Section	Area of Responsibility	Responsibility
V-I-10.7	FMA QA Record Retention	<ul style="list-style-type: none"> • Retain material certification and CWP log for life of ship • Maintain records not associated with CWPs as required • Maintain records of assessments, audits, surveillance and evaluations as required • Retain a copy of the last end of fleet maintenance availability certification report to tended submarines
V-III-6.3.3	Receipt of SOC Material	<ul style="list-style-type: none"> • Certify MCD-A and MCD-B materials
V-III-8.2.4a	Departure From Specification	<ul style="list-style-type: none"> • Ensure repair for DFS is entered in ship's CSMP
VI-18.7	Unserviceable/Rejected Life Rafts	<ul style="list-style-type: none"> • Verify the condition of the rejected life raft
VII-11.5.6.1c	Corrective Action Request	<ul style="list-style-type: none"> • Issue Method C letter when required

Quality Assurance Supervisor

Section	Area of Responsibility	Responsibility
V-I-1.6.12	Organizational Responsibilities	<ul style="list-style-type: none"> • Ensure all testing required for completion of CWP is complete and reviewed • Perform opening reviews of CWP • Perform closing reviews of CWP • Train and supervise QAIs, Cleanliness Inspectors/Certifiers, CMPOs/CMHs and other personnel • Conduct QA audits, surveillance and coordinate corrective actions • Maintain QA records and files including completed CWPs • Review DFS for accuracy and technical merit and forward to QAO
V-I-2.3.7.1	Formal Work Package Changes	<ul style="list-style-type: none"> • Make pen and ink changes to the QA forms in a CWP
V-I-2.3.7.3	Formal Work Package Revisions	<ul style="list-style-type: none"> • For FWPs executed as a part of the CWP, the QAO/QAS will concur with the addition of material
V-I-2.3.7.9	Emergent Controlled Work	<ul style="list-style-type: none"> • Continuously monitor the task and record all actions taken, if a FMA is involved
V-I-5.10.7	Re-Entry Control	<ul style="list-style-type: none"> • Inspect controlled assemblies
V-I-6.3.5	Material Control	<ul style="list-style-type: none"> • File QA form 1 with all applicable documents
V-III-6.3.3	Material Control	<ul style="list-style-type: none"> • File QA form 1 with all applicable documents

Controlled Material Petty Officer

Section	Area of Responsibility	Responsibility
III-3.4.1.h.(2)(h)	Voyage Repair Policy - Surface Ship	<ul style="list-style-type: none"> • Provide face to face turnover of MIC Level I material to SRU Surveyor • Perform joint inspection of MIC Level I material with Ship's Force QAI prior to turnover to contractor
V-I-1.5.16	Ship Responsibilities	<ul style="list-style-type: none"> • Ensure all material under their cognizance is stored and controlled as required • Receipt inspect all LI/SS stock program material, SFCC and NRP received • Request disposition instructions for rejected material • Control previously rejected and now accepted controlled material as required • Maintain custody of controlled material in segregated stowage in accordance as required • Inspect controlled material storage areas as required • Ensure controlled material is properly stowed and handled • Ensure nuclear material received without Ready for Issue tags is certified to the required "Level of Essentiality" • Reject unsatisfactory material • Send any material certification documents for material which has been provided by the ship to the RMC/FMA QA office as required • Perform receipt inspection of package alteration kits that contain controlled material when ready for use • Ensure controlled material markings are on all pieces when cutting a smaller piece from a larger one • Ensure controlled material markings are moved to an unaffected area, if the controlled material item will lose the markings due to a fabrication process (e.g., welding, machining) prior to the fabrication process • Ensure all controlled material is identified, color coded, marked and tagged as required

Section	Area of Responsibility	Responsibility
V-I-1.6.14	RMC/FMA Responsibilities	<ul style="list-style-type: none"> • Receipt inspect all controlled material received • Ensure all material under their cognizance is stored and controlled as required • Inspect controlled material storage areas as required • Ensure controlled material is properly stowed and handled • Reject unsatisfactory material • Send any material certification documents for material which has been provided by a ship along with the QA form 1 to the QA office • Receipt inspect package alteration kits that contain controlled material when ready for use • Control previously rejected and now accepted controlled material as required • Retain custody of controlled material when it is not in the custody of a craftsman or in a controlled material storage area • Ensure controlled material markings are on all pieces when cutting a smaller piece from a large one • Ensure controlled material markings are moved to an unaffected area, if the controlled material item will lose the markings due to a fabrication process (e.g., welding, machining) prior to the fabrication process
V-I-6.3.4	Receipt Inspection of Controlled Material	<ul style="list-style-type: none"> • Receipt inspect controlled materials as required
V-I-6.3.5	Receipt Inspection of Open Purchase or Locally Manufactured Material or Upgrading Supply System Material to Level I	<ul style="list-style-type: none"> • Receipt inspect materials as required
V-I-6.3.8	Level I/SUBSAFE Stock Program Material Downgrading	<ul style="list-style-type: none"> • Remove markings as required
V-I-6.3.9	Storage, Issue, and Handling of Level I/SUBSAFE/Submarine Flight Critical Component Stock Program Material	<ul style="list-style-type: none"> • Inspect controlled material storage areas as required • Maintain custody of controlled material as required • Verify transfer of MIC markings as required
V-III-6.3.1	Control of SOC Material	<ul style="list-style-type: none"> • Maintain custody of SOC material as required
V-III-6.3.3	Receipt of SOC Material	<ul style="list-style-type: none"> • Receipt inspect SOC material as required

(This Page Intentionally Left Blank)